

ZONING MAP
(NOT TO SCALE)

SHEET INDEX

SHEET 1	COVER
SHEET 2	ZONING
SHEET 3	ZONING NOTES
SHEET 4-6	EXISTING CONDITIONS (BENCHMARKS)
SHEET 7	GRADING
SHEET 8	PROFILES ROAD
SHEET 9	LANDSCAPE
SHEET 10	UTILITY
SHEET 11	SAFETY & SIGNAGE
SHEET 12-16	SEPTIC SYSTEM (SHEET 14 TESTHOLES)
SHEET 17	DETAILS - WATER
SHEET 18	DETAILS - RET. WALL FENCE DRAIN
SHEET 19	DETAILS - ROAD
SHEET 20	DETAILS - DRAIN
SHEET 21	SUBSURFACE DRAIN DETAILS - BMP PLAN
SHEET 22	SUBSURFACE DRAIN DETAILS
SHEET 23	EROSION CONTROL PLAN
SHEET 24	PRE-DEVELOPMENT
SHEET 25	POST DEVELOPMENT
A101-A104	ARCH BLD 2
A101-A104	ARCH BLD 3
E-1	LIGHTING

PLAN REFERENCES

1. LAYOUT 3338
2. LAYOUT 3634
3. PLAN BOOK 6 PAGE 265
4. PLAN BOOK 11 PAGE 364 (PLAN No. 243 OF 1958)
5. PLAN BOOK 14 PAGE 1161
6. PLAN BOOK 45 PAGE 787 (PLAN No. 449 OF 2002)
7. PLAN BOOK 1679 PAGE 142
8. PLAN BOOK 2394 PAGE 32 (PLAN No. 19 OF 1955)
9. PLAN BOOK 3158 PAGE 463 (PLAN No. 384 OF 1953)

RECORD OWNER:

ASSESSOR MAP 12 LOT 2-38-F

OPTION C PROPERTIES, L.L.C.
PO BOX 263
WEYMOUTH, MA 02190

DEED BOOK 53705 PG 324

REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS

SITE PLAN COUNTRY WAY ESTATES # 817 COUNTRY WAY ASSESSORS PARCEL 12-2-38-F SCITUATE, MASSACHUSETTS

PREPARED FOR:
OPTION C PROPERTIES L.L.C.
P.O. BOX 263
WEYMOUTH, MA 02190

FEBRUARY 2, 2023
SCALE: 1"=40'
JOB No. 20-475



GRADY CONSULTING, L.L.C.

Civil Engineers, Land Surveyors & Landscape Architects
71 Evergreen Street, Suite 1, Kingston, MA 02364
Phone (781) 585-2300 Fax (781) 585-2378

I HEREBY CERTIFY THAT THIS PLAN HAS BEEN PREPARED IN CONFORMANCE WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS OF THE COMMONWEALTH OF MASSACHUSETTS.

TIMOTHY R. BENNETT P.L.S. #36856 DATE

SITE PLAN APPROVED

DATE: _____

SCITUATE PLANNING BOARD

I, KATHLEEN A. GARDNER, CLERK OF THE TOWN OF SCITUATE, HEREBY CERTIFY THAT THE NOTICE OF APPROVAL OF THIS PLAN BY THE PLANNING BOARD HAS BEEN RECEIVED AND RECORDED AT THIS OFFICE AND NO NOTICE OF APPEAL WAS RECEIVED DURING THE TWENTY DAYS NEXT FOLLOWING SUCH RECEIPT AND RECORDING OF SAID NOTICE.

DATE _____ TOWN CLERK

ZONING DATA

ZONE: VILLAGE CENTER & NEIGHBORHOOD DISTRICT (VCN) NORTH SCITUATE VILLAGE (NSV) OUTER VILLAGE (NSV-OV) DISTRICT
EXISTING USE: MIXED USE

PROPOSED USE: MULTI-FAMILY BUILDING (ALLOWED USE SZBL 420 TABLE OF USE REGULATIONS)
PARCEL SIZE: 2.35 ACRES (102,366 SF) FROM ASSESSORS RECORDS (101,125 SF 2.32 ACRES (CALCULATED))
FRONTAGE: 244.32 FT

SECTION 580.3 ALLOWED BUILDINGS AND LOT USES
TABLE 1

SPECIAL PERMIT REQUIRED IN THE OV DISTRICT (SP)
ALLOWED (Y)

PROPOSED:
BUILDING#1: RETAIN 8 UNIT MULTI-FAMILY BUILDING ALLOWED (Y)
BUILDING#2: PROPOSED 10 UNIT MULTI-FAMILY BUILDING ALLOWED (Y)
BUILDING#3: PROPOSED 16 UNIT MULTI-FAMILY BUILDING ALLOWED (Y)

*SPECIFIC DEVELOPMENT AND DESIGN STANDARDS UNDER SECTION 750

*580.3(C) SUBJECT TO THE REQUIREMENTS OF SECTION 750 - DESIGN REVIEW FOR BUSINESS, COMMERCIAL, MULTI-FAMILY, AND MIXED USE DEVELOPMENT
*580.3(D) CLASSIFICATION: THE ZONING ENFORCEMENT OFFICER SHALL DETERMINE CLASSIFICATION TYPE.

WAVER REQUEST:
750.6 TABLE 1.A. STREET FACING WALL MAX 100'. THE APPLICANT REQUESTS A WAIVER TO RETAIN THE EXISTING BUILDING THAT IS 128.5 FT LONG.

TABLE 2 - VCN RESIDENTIAL DENSITY BY BUILDING TYPE & DISTRICT							
RESIDENTIAL/MIXED USE BUILDINGS		D.U.s PER ACRE (BY RIGHT/BY SPECIAL PERMIT)					
		Greenbush-Driftway Gateway				North Scituate Village	
		GWB	NRN	GVC	DBP/NRCRDCR	NDTV	VC OV
		Y/SP	Y/SP	Y/SP	Y/SP	Y/SP	Y/SP
1.	Single-Family Detached Dwelling Units	NA	NA	4/8 ¹	NA	NA	NA
2.	Single-Family Attached Dwelling Units ¹	8/16	8/16	8/16	NA	12/20	NA
3.	Two-Family Dwelling and Cottage Courts ²	NA	8/16	8/16 ³	NA	NA	12/20
4.	Mixed Use Buildings	12/24	12/24 ³	12/24	NA	16/36	12/24
5.	Multi-Family Buildings	12/24	12/24 ³	12/24	NA	16/36	15/24

SECTION 580.4(A)
TABLE 2
PROPOSED: #5 MULTI-FAMILY BUILDING (NSV-OV) (15/24 D.U. PER ACRE)
15 UNITS PER ACRE (43,560 S.F.) - ALLOWED BY RIGHT
24 UNITS PER ACRE (43,560 S.F.) - ALLOWED BY SPECIAL PERMIT

15 UNITS = X UNITS ALLOWED X = 34.8 UNITS ALLOWED (Y) BY RIGHT
43,560 S.F. = 101,125 S.F.

24 UNITS = X UNITS ALLOWED X = 55 UNITS ALLOWED (SP) SPECIAL PERMIT
43,560 S.F. = 101,125 S.F.

X = 34 UNITS PROPOSED "BY RIGHT" - NO SP REQUIRED

PROPOSED 34 UNITS PROPOSED - (SP) REQUIRED
754 FAIR HOUSING AFFORDABILITY STANDARDS

754.1.3 DENSITY BONUS REQUIRES 20% AFFORDABLE
34 UNITS * 15% = 5 UNITS AFFORDABLE REQUIRED

REQUIRED PARKING

SECTION 580.5(A) PARKING REQUIREMENTS SECTION 750.8 AND 760

SECTION 760.8(B) OFF-STREET PARKING REQUIREMENTS TABLE 2 - OFF STREET PARKING STANDARDS FOR MIXED USE DISTRICTS

1, 2 & 3 BEDROOM UNITS IN MIXED USE OR MULTI-FAMILY BUILDING (TABLE 2 PG 173)
3-1 BR UNITS x 1.0 SPACES/UNIT = 3 OFF-STREET SPACES REQUIRED
25-2 BR UNITS x 1.5 SPACES/UNIT = 38 OFF-STREET SPACES REQUIRED
6-1 BR UNITS x 2 SPACES/UNIT = 12 OFF-STREET SPACES REQUIRED
34 UNITS TOTAL = 53 SPACES REQUIRED
= 63 PROPOSED

BUILDINGS	UNITS	BEDROOMS	1BR	2BR	3BR
BUILDING 1 (EXISTING)	8 UNITS	16 BR		8-2BR	
BUILDING 2	10 UNITS	20 BR	2-1BR,	6-2BR	2-3BR
BUILDING 3	16 UNITS	35 BR	1-1BR,	11-2BR	4-3BR
	34 UNITS	71 BR	3	25	6

TABLE 1.A - MULTI-FAMILY BUILDING TYPES AND DESIGN STANDARDS		
1. BUILDING TYPES AND DEFINITIONS		
	MULTI-FAMILY BUILDING (MFB)	
1.1 ILLUSTRATIVE DIAGRAM		
1.2 DEFINITION	See definition in Section 200.	
2. LOT STANDARDS		
2.1 Lot Size (S.F.) (Min.)	Not Required	PROPOSED NOT REQUIRED
2.2 Street Frontage (Min.)	80 Min	245.47'
2.3 Lot Depth (Min./Max.)	Not Required	NOT REQUIRED
2.4 Front Yard Build-to-Line (Min./Max.)	10 Ft / 30 Ft	28.3'
2.5 Side Yard (Min.)	15 Ft	16'
2.6 Rear Yard (Min.)	20 Ft	78.8'
2.7 Outdoor Amenity Space Coverage (Min.) SECTION 752	20% 20,473 SF MIN=20%	21% (21,254)
3. DESIGN STANDARDS		
3.1 Building Height (Max.)	4 Stories / 40 Ft	4 STORIES
3.2 Street Facing Wall Width (Min.)	60 Ft	128.5'(EXISTING BUILDING)
3.3 Street Facing Wall Width (Max.)	100 Ft	128.5'(EXISTING BUILDING)
3.4 Street Facing Entrance	Required	(EXISTING)
3.5 Maximum Building Footprint (SF)	Not Applicable	NOT APPLICABLE
4. ADDITIONAL STANDARDS		
4.1		
4.2		

I HEREBY CERTIFY THAT THIS PLAN HAS BEEN PREPARED IN CONFORMANCE WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS OF THE COMMONWEALTH OF MASSACHUSETTS.

TIMOTHY R. BENNETT P.L.S. #36856 DATE

SITE PLAN APPROVED
DATE: _____

SCITUATE PLANNING BOARD


I, KATHLEEN A. GARDNER, CLERK OF THE TOWN OF SCITUATE, HEREBY CERTIFY THAT THE NOTICE OF APPROVAL OF THIS PLAN BY THE PLANNING BOARD HAS BEEN RECEIVED AND RECORDED AT THIS OFFICE AND NO NOTICE OF APPEAL WAS RECEIVED DURING THE TWENTY DAYS NEXT FOLLOWING SUCH RECEIPT AND RECORDING OF SAID NOTICE.

DATE _____ TOWN CLERK

REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS

SITE PLAN
COUNTRY WAY ESTATES
817 COUNTRY WAY
ASSESSORS PARCEL 12-2-38-F
SCITUATE, MASSACHUSETTS

PREPARED FOR: FEBRUARY 2, 2023
OPTION C PROPERTIES L.L.C. SCALE: 1"=40'
P.O. BOX 263 JOB No. 20-475
WEYMOUTH, MA 02190



GRADY CONSULTING, L.L.C.

Civil Engineers, Land Surveyors & Landscape Architects
71 Evergreen Street, Suite 1, Kingston, MA 02364
Phone (781) 585-2300 Fax (781) 585-2378

COMPLIANCE WITH SCITUATE ZONING BYLAW - SECTION 750

SECTION 750 – DESIGN REVIEW FOR BUSINESS, COMMERCIAL, MIXED USE AND MULTI-FAMILY DEVELOPMENT

- SECTION 750.1 APPLICABILITY A. GENERAL
- CONSTRUCTION OF A NEW MULTI-FAMILY DEVELOPMENT REQUIRING MAJOR SITE PLAN APPROVAL

- SECTION 750.1 APPLICABILITY B. EXISTING BUILDINGS AND STRUCTURES
- THE EXISTING FRONT BUILDING IS TO BE RETAINED MULTI-FAMILY BUILDING

- SECTION 750.1 APPLICABILITY C. ATTACHED SINGLE FAMILY DEVELOPMENTS
- PROPOSED MULTI-FAMILY DEVELOPMENT SUBJECT TO DESIGN STANDARDS OF SECTION 750

- SECTION 750.1 APPLICABILITY D. EXEMPTIONS
- PROPOSED MULTI-FAMILY DEVELOPMENT IS NOT EXEMPT DESIGN STANDARDS OF SECTION 750

- SECTION 750.2 DESIGN REVIEW COMMITTEE
- THE PROPOSED MULTI-FAMILY DEVELOPMENT IS SUBJECT TO THE REVIEW OF THE DESIGN REVIEW COMMITTEE

- SECTION 750.3 REVIEW PROCESS
- THE APPLICANT SHALL MEET AND REVIEW PROJECT WITH THE DESIGN REVIEW COMMITTEE

- SECTION 750.4 APPLICATION AND MATERIALS
- THE APPLICANT HAS SUBMIT ALL REQUIRED PLANS AND DOCUMENTS

- SECTION 750.5 GENERAL DESIGN STANDARDS FOR ALL COMMERCIAL, MULTIFAMILY AND MIXED USE BUILDINGS AND DEVELOPMENTS
- THE PROPOSED PROJECT IS SUBJECT TO REVIEW AND JUDGEMENT TO DETERMINE IF THE PROJECT RELATES HARMONIOUSLY TO THE NATURE AND CONTEXT OF EXISTING BUILDINGS IN THE VICINITY

- SECTION 750.5(A) GENERAL DESIGN STANDARDS
- BUILDING LOT DIMENSIONS – NO MINIMUM AREA REQUIREMENTS FOR MULTIFAMILY BUILDING
 - TWO NEW BUILDING ARE PROPOSED, RETAIN EXISTING FRONT BUILDING – BUILDING LOT DIMENSIONAL STANDARDS ARE MET AS DETAILED ON THE SITE PLAN.
 - BUILDING PLACEMENT THE PROPOSED PROJECT SITE MEETS THE MINIMUM LOT DIMENSIONAL STANDARDS IDENTIFIED IN SECTION 750.6
 - BUILD TO ZONE – THE EXISTING BUILDING IS TO BE RETAINED. THE BUILDING IS IN THE REQUIRED BUILD TO ZONE (EXISTING 28.3)MIN/MAX 10/30 FT
 - BUILD TO ZONE OCCUPANCY – 128.3/244.32=52.5% > 50% MIN
 - CORNER LOT CLEARANCE – NOT APPLICABLE

- SECTION 750.5(2) MINIMUM AND MAXIMUM HEIGHT
- THE PROPOSED BUILDING HEIGHT IS MEASURED FROM THE AVERAGE GROUND LEVEL AT THE BASE OF THE BUILDING TO THE AVERAGE HEIGHT BETWEEN THE EAVE AND RIDGE OF THE PITCHED ROOF. THE PROPOSED BUILDING MEETS THE BUILDING HEIGHT REQUIREMENTS OF SECTION 750.6 (SEE ARCHITECTURAL PLANS) 37'8"
- 2.b. HEIGHT MEASUREMENT AND ROOF PITCH
- THE PROPOSED BUILDING HEIGHT IS MEASURED FROM THE AVERAGE GROUND LEVEL AT THE BASE OF THE BUILDING TO THE AVERAGE HEIGHT BETWEEN THE EAVE AND RIDGE OF THE PITCHED ROOF. THE PROPOSED BUILDING HEIGHT IS 39.0± THE MAXIMUM BUILDING HEIGHT IS 40'
- 2.c. PENTHOUSE – NOT APPLICABLE
- 2.d. BUILDING HEIGHT 4. BUILDING HEIGHT EXCEPTIONS
- NOT APPLICABLE
- 2.e. GROUND FLOOR ELEVATION
- THE PROPOSED FIRST FLOOR IS AT A MODERATE ELEVATION TO ENHANCE PRIVACY

- SECTION 750.5(3)
- BUILDING SETBACK AND STREET ENCLOSURE – GENERAL STREET ENCLOSURE GUIDELINE – PROJECT PROPOSES TO RETAIN THE EXISTING BUILDING ALONG THE FRONTAGE
 - BUILDING SETBACK AND SETBACK STANDARDS (FROM THE ROW LINE)
 - THE PROPOSED BUILDING IS LESS THAN 30' AND CONFORMS TO SETBACK REQUIREMENTS OF SECTION 750.6

SECTION 750.5(3.B) GENERAL DESIGN GUIDELINES – SCALE OF BUILDING

CONCERNING SECTION 750.5 OF THE ZONING BYLAW, WE FIND THAT SEVERAL OF THE SECTIONS PERTAIN TO THE ARCHITECTURAL DESIGN OF THE BUILDING. THESE ARE BEST ILLUSTRATED BY THE GRAPHIC FIGURES SHOWN IN THAT SECTION, AND OUTLINED BELOW:

- FIGURE 6 – BUILDING STEPBACK: BUILDING STEPBACK, SETBACK, AND STREET ENCLOSURE REQUIREMENTS DO NOT APPLY TO THE NEW BUILDINGS PROPOSED, AS THEY ARE ALL SET BACK BEYOND THE APPLICABLE DISTANCE FROM THE RIGHT-OF-WAY LINE ON THE PROPERTY.
- FIGURE 7 – VERTICAL AND HORIZONTAL MODULATION: IN THE DESIGN OF THE PROPOSED BUILDINGS, AXIOM HAS MADE EFFORTS TO PROVIDE BOTH VERTICAL AND HORIZONTAL ARTICULATIONS THROUGH THE BUILDING FORM, WINDOWS, AND OTHER ARCHITECTURAL FEATURES. LOWER ENTRY / EXIT LOCATIONS HAVE BEEN ACCENTED BY PORCH ROOF AND ENTRY ROOF STRUCTURES. BUILDING PROJECTIONS WITH INDIVIDUAL ROOF ELEMENTS HAVE ALSO BEEN PROVIDED ADD TO BOTH THE HORIZONTAL AND VERTICAL ORGANIZATION OF THE MAIN BUILDING ELEVATIONS, AND ALSO ADD DEPTH AND DIMENSION TO THE BUILDINGS.
- FIGURE 8 – FAÇADE COMPONENTS AND ARCHITECTURAL FEATURES: AS DESCRIBED IN THIS SECTION OF THE ZONING, "SURFACE RELIEF" SHALL BE PROVIDED WITH VARYING ARCHITECTURAL FEATURES IN ORDER TO PROVIDE VISUAL INTEREST. AXIOM HAS MADE AN EFFORT TO PROVIDE SUCH FEATURES (AS MENTIONED ABOVE) IN THE FORM OF AWNINGS, PORCH STYLE ROOFS, GABLE FORMS, AND BUILDING PROJECTIONS, IN ORDER TO PROVIDE A BUILDING DESIGN THAT IS INTERESTING AND ALSO ATTEMPTS TO BREAK UP THE MONOTONY THAT CAN SOMETIMES COME WITH A LARGER BUILDING.

SECTION 750.6

SECTION 750.6 DEFINES THE SPECIFIC DIMENSIONAL REQUIREMENTS FOR THE PROPOSED BUILDING. ALL OF THE APPLICABLE ARCHITECTURAL ITEMS ARE OUTLINES BELOW:

- TABLE 1.B – MULTI-FAMILY BUILDING DESIGN STANDARDS:
 - BUILDING HEIGHT REQUIREMENT: 40'-0" MAXIMUM, 4 LEVELS
 - PROPOSED HEIGHT (BUILDING 1+2): 38'- 4"
 - PROPOSED HEIGHT (BUILDING 3): 37'- 6"
 - BUILDING WIDTH REQUIREMENT: 60'-100'
 - PROPOSED WIDTH (BUILDING 1+2): 76'- 0"
 - PROPOSED WIDTH (BUILDING 3): 110'- 0"
 - MAXIMUM BUILDING FOOTPRINT AREA: N/A
 - PROPOSED BUILDING FOOTPRINT AREA: N/A

COMPLIANCE WITH SCITUATE ZONING BYLAW - SECTION 750 (CONTINUED)

- SECTION 750.6 COMMERCIAL, MULTIFAMILY, AND MIXED USE BUILDING TYPES AND DESIGN STANDARDS A. PRINCIPAL BUILDING TYPES
- THE PROPOSED BUILDING IS A MULTI-FAMILY BUILDING (MFB) SEE TABLE 1.A. DEMONSTRATING COMPLIANCE WITH DESIGN STANDARDS FOR MULTIFAMILY BUILDINGS

- SECTION 750.7 BUILDING FRONTAGE ZONES A. GENERAL STANDARDS
- THE PROPOSED BUILDING FRONTAGE ZONE USE PROVIDES A COMPATIBLE TRANSITION AND INTERFACE BETWEEN THE PRIVATE REALM AND THE PUBLIC REALM. THE FRONT YARD PROVIDES ACCESS ALONG WALKWAYS TO THE EXISTING BUILDING. THE FRONT YARD WILL LARGELY REMAIN THE SAME AS IT IS CURRENTLY (LAWN, STONEWALL, FOUNDATION LANDSCAPE AND WALKWAYS). THE AREA BETWEEN THE RIGHT OF WAY AND THE BUILDING WILL BE FILLED AND ELEVATED APPROXIMATELY 2 FT. A STONEWALL AND NEW FOUNDATION PLANTINGS ARE PROPOSED AS AESTHETIC IMPROVEMENTS.

- BUILDING ACTIVATION ENCROACHMENTS
- NOT APPLICABLE. THE PROPOSED PROJECT DOES NOT CONSIST OF ANY BUILDING ACTIVATION ENCROACHMENTS.

- SECTION 750.8 DEVELOPMENT SITE STANDARDS
- (1-4). DEVELOPMENT SITES
 - THE PROPOSED PROJECT CONSISTS OF THE CONSTRUCTION OF 3 PRINCIPAL BUILDING AND RETAINING THE EXISTING BUILDING ON A SINGLE LOT. THE PROPOSED SITE CONTAINS 101,125 SF LOT. THE PROJECT PROPOSES 4 MULTIFAMILY BUILDING WHICH IS A PERMITTED BUILDING TYPE. THE DEVELOPED SITE HAS 244.32 FT OF FRONTAGE OF ON A PUBLIC STREET WHICH IS GREATER THAN THE MINIMUM OF 80 FEET.
 - DEVELOPMENT BLOCK STANDARDS
 - NOT APPLICABLE. THE PROJECT CONSISTS OF THE DEVELOPMENT OF ONE LOT ONLY. THE THREE PROPOSED BUILDINGS ARE LOCATED WITHIN 400 FT OF EACH OTHER AND PEDESTRIAN ACCESS IS PROVIDED ALONG 4 FT WIDE WALKWAYS.
 - SITE LANDSCAPING
 - THE PROJECT SITE CURRENTLY CONSISTS OF A MULTI FAMILY DWELLING,A RAZED FORMER SINGLE FAMILY DWELLING AND A LANDSCAPE CONTRACTOR YARD WITH A FEW EXISTING TREES. THE PROJECT PROPOSES TO REMOVE THE EXISTING TREES WHERE NECESSARY. A PROPOSED LANDSCAPING PLAN HAS BEEN PREPARED. ALL LANDSCAPING SHALL BE MAINTAINED IN HEALTHY GROWING CONDITIONS. ALL PROPOSED PLANTINGS SHALL BE ARRANGED AND MAINTAINED SO AS TO NOT OBSCURE THE VISION OF TRAFFIC. A LANDSCAPE PLAN HAS BEEN PREPARED BY A REGISTERED LANDSCAPE ARCHITECT.
 - PARKING PLACEMENT, ACCESS, AND SCREENING
 - THERE ARE NO PROPOSED PARKING SPACES WITHIN THE FRONT BUILD-TO-ZONE. ALL PROPOSED PARKING ARE LOCATED A MINIMUM OF 5 FT BEHIND THE FRONT FACADE OF THE PRIMARY BUILDING.
 - A LANDSCAPE STREET SCREEN IS PROPOSED THAT PROVIDES A SIGHT IMPERVIOUS SCREEN.
 - NOT APPLICABLE. THE PROJECT IS NOT LOCATED IN SCITUATE HARBOR OR NORTH SCITUATE.
 - NOT APPLICABLE. THERE ARE NO PROPOSED SHARED DRIVEWAYS.
 - PARKING PLACEMENT, ACCESS, AND SCREENING
 - NOT APPLICABLE. THERE ARE NO PROPOSED SHARED PRIVATE DRIVEWAYS.

- E. UTILITIES
- PUBLIC UTILITIES
 - THE ELECTRIC SERVICE PROPOSES TO UTILIZE THE EXISTING UTILITY POLES AND THEN GO UNDERGROUND. ALL OTHER UTILITIES ARE PROPOSED UNDER GROUND.
 - UTILITIES 2(A-C). TRASH AND SERVICE AREAS
 - THE PROPOSED TRASH STORAGE AREA/DUMPSTER SHALL BE SCREENED WITH A WOODEN FENCE. THERE ARE NO PROPOSED GARAGE DOORS OR LOADING SPACES ON THE FRONT FACADE OF THE BUILDING.

- SECTION 750.8 DEVELOPMENT SITE STANDARDS F. OPEN SPACE – SEE SECTION 752
- THE PROPOSED PROJECT CONSISTS OF PRIVATE OPEN SPACE (PS). IN ACCORDANCE WITH SECTION 750.6 20% OF OPEN SPACE OR OUTDOOR AMENITY SPACE IS REQUIRED. THE PROJECT PROPOSES 23% OF OUTDOOR AMENITY SPACE OR 24,299 SF AS REQUIRED.

- SECTION 750.8 DEVELOPMENT SITE STANDARDS G. SUSTAINABLE SITE DESIGN STANDARDS – SEE SECTION 751
- THE PROPOSED DESIGN CONSISTS OF SUBSURFACE RETENTION FACILITIES WELL SUITED FOR HIGH DENSITY AREAS. THE PROPOSED PARKING AREAS ARE DESIGNED TO MEET THE MINIMUM NUMBER OF PARKING SPACES REQUIRED TO REDUCE PAVEMENT.

TABLE 1.A - MULTI-FAMILY BUILDING TYPES AND DESIGN STANDARDS		
1.BUILDING TYPES AND DEFINITIONS		
	MULTI-FAMILY BUILDING (MFB)	
1.1 ILLUSTRATIVE DIAGRAM		
1.2 DEFINITION	See definition in Section 200.	
2.LOT STANDARDS		PROPOSED
2.1 Lot Size (S.F.) (Min.)	Not Required	NOT REQUIRED
2.2 Street Frontage (Min)	80 Min.	245.47'
2.3 Lot Depth (Min./Max.)	Not Required	NOT REQUIRED
2.4 Front Yard Build-To-Zone (Min./Max.)	10 Ft. / 30 Ft.	28.3'
2.5 Side Yard (Min.)	15 Ft	16'
2.6 Rear Yard (Min.)	20 Ft	78.8'
2.7 Outdoor Amenity Space Coverage (Min.) SECTION 752	20% 20,473 SF MIN=20%	21% (21,254)
3.DESIGN STANDARDS		
3.1 Building Height (Max.)	4 Stories / 40 Ft.	4 STORIES
3.2 Street Facing Wall Width (Min.)	60 Ft.	128.5'(EXISTING BUILDING)
3.3 Street Facing Wall Width (Max.)	100 Ft.	128.5'(EXISTING BUILDING)
3.4 Street Facing Entrance	Required	(EXISTING)
3.5 Maximum Building Footprint (SF)	Not Applicable	NOT APPLICABLE
4.ADDITIONAL STANDARDS		
4.1		
4.2		

FOR REGISTRY USE ONLY

I HEREBY CERTIFY THAT THIS PLAN HAS BEEN PREPARED IN CONFORMANCE WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS OF THE COMMONWEALTH OF MASSACHUSETTS.

TIMOTHY R. BENNETT P.L.S. #36856 DATE

SITE PLAN APPROVED

DATE:

SCITUATE PLANNING BOARD



REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS

SITE PLAN

COUNTRY WAY ESTATES

8 1 7 COUNTRY WAY

ASSESSORS PARCEL 12-2-38-F

SCITUATE, MASSACHUSETTS

PREPARED FOR: FEBRUARY 2, 2023

OPTION C PROPERTIES L.L.C. SCALE: AS NOTED

P.O. BOX 263 JOB No. 20-475


WEYMOUTH, MA 02190

GRADY CONSULTING, L.L.C.

Civil Engineers, Land Surveyors & Landscape Architects

71 Evergreen Street, Suite 1, Kingston, MA 02364

Phone (781) 585-2300 Fax (781) 585-2378



Scale 1" = 40'

FOR REGISTRY USE ONLY

I HEREBY CERTIFY THAT THIS PLAN HAS BEEN PREPARED IN CONFORMANCE WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS OF THE COMMONWEALTH OF MASSACHUSETTS.

TIMOTHY R. BENNETT P.L.S. #36856 DATE _____

SITE PLAN APPROVED
DATE: _____

SCITUATE PLANNING BOARD


REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS

SITE PLAN
COUNTRY WAY ESTATES
817 COUNTRY WAY
ASSESSORS PARCEL 12-2-38-F
SCITUATE, MASSACHUSETTS

PREPARED FOR: FEBRUARY 2, 2023
OPTION C PROPERTIES L.L.C. SCALE: 1"=40'
P.O. BOX 263 JOB No. 20-475
WEYMOUTH, MA 02190



GRADY CONSULTING, L.L.C.
Civil Engineers, Land Surveyors & Landscape Architects
71 Evergreen Street, Suite 1, Kingston, MA 02364
Phone (781) 585-2300 Fax (781) 585-2378



I HEREBY CERTIFY THAT THIS PLAN HAS BEEN
PREPARED IN CONFORMANCE WITH THE RULES
AND REGULATIONS OF THE REGISTERS OF
DEEDS OF THE COMMONWEALTH OF
MASSACHUSETTS.

TIMOTHY R. BENNETT P.L.S. #36856 DATE

SITE PLAN APPROVED
DATE: _____

SCITUATE PLANNING BOARD

NOTES

1. PROPERTY LINE AND TOPOGRAPHIC INFORMATION SHOWN ON THIS PLAN WAS COMPILED FROM INFORMATION AT THE REGISTRY OF DEEDS AND A FIELD SURVEY DONE BY GRADY CONSULTING, L.L.C. BETWEEN MARCH 2 AND MAY 11, 2020, INCLUSIVE.
2. EXISTING UTILITIES, WHERE SHOWN, HAVE BEEN COMPILED BASED ON OBSERVED ABOVE GROUND EVIDENCE, AND RECORD INFORMATION, AND ARE TO BE CONSIDERED APPROXIMATE. GRADY CONSULTING, L.L.C. DOES NOT GUARANTEE THE LOCATION OF THE UNDERGROUND UTILITIES SHOWN OR THAT ALL EXISTING UTILITIES AND/OR SUBSURFACE STRUCTURES ARE SHOWN.
3. THE SITE IS NOT LOCATED IN AN AQUIFER PROTECTION ZONE II.
4. THE SITE IS LOCATED IN A ZONE X FLOOD PLAIN DISTRICT.
5. THE SITE IS PARTIALLY LOCATED WITHIN AN ESTIMATED HABITAT OF RARE SPECIES (PH 1103).
6. THE TOWN LINE IS CALCULATED FROM MASSDOT SURVEY DATA
7. N.O.A.A. DATUM DATA FOR BOSTON, MA
N.A.D. 83 EL. 0.30 = M.S.L. EL. 0.00
8. THE SITE IS LOCATED IN A FEMA FLOOD ZONE X AS SHOWN ON MAP 25023C0106L WITH AN EFFECTIVE DATE OF 7/6/2021.


REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS

SITE PLAN
COUNTRY WAY ESTATES
#817 COUNTRY WAY
ASSESSORS PARCEL 12-2-38-F
SCITUATE, MASSACHUSETTS

PREPARED FOR: FEBRUARY 2, 2023
OPTION C PROPERTIES L.L.C. SCALE: 1"=20'
P.O. BOX 263 JOB No. 20-475
WEYMOUTH, MA 02190

GRADY CONSULTING, L.L.C.
Civil Engineers, Land Surveyors & Landscape Architects
 71 Evergreen Street, Suite 1, Kingston, MA 02364
 Phone (781) 585-2300 Fax (781) 585-2378

EXISTING CONDITIONS - 20 SCALE



FOR REGISTRY USE ONLY

I HEREBY CERTIFY THAT THIS PLAN HAS BEEN PREPARED IN CONFORMANCE WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS OF THE COMMONWEALTH OF MASSACHUSETTS.

TIMOTHY R. BENNETT P.L.S. #36856 DATE _____

SITE PLAN APPROVED

DATE: _____


SCITUATE PLANNING BOARD

REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS


SITE PLAN
COUNTRY WAY ESTATES
817 COUNTRY WAY
ASSESSORS PARCEL 12-2-38-F
SCITUATE, MASSACHUSETTS

PREPARED FOR: FEBRUARY 2, 2023
OPTION C PROPERTIES L.L.C. SCALE: 1"=20'
P.O. BOX 263 JOB No. 20-475
WEYMOUTH, MA 02190


GRADY CONSULTING, L.L.C.
Civil Engineers, Land Surveyors & Landscape Architects
71 Evergreen Street, Suite 1, Kingston, MA 02364
Phone (781) 585-2300 Fax (781) 585-2378



EXISTING CONDITIONS – 20' SCALE




BUILDING #1
ACCESSIBLE SPACE
SCALE 1"= 10'



BUILDING #2
ACCESSIBLE SPACE
SCALE 1"= 10'

NOTE:
1. ACCESSIBLE ROUTES SHALL MEET ALL REQUIREMENTS OF 521 CMR
2. ACCESSIBLE ROUTES SHALL HAVE A MAX SLOPE OF 20:1 OR SHOULD MEET THE REQUIREMENTS OF RAMPS (1:12)



FOR REGISTRY USE ONLY

I HEREBY CERTIFY THAT THIS PLAN HAS BEEN PREPARED IN CONFORMANCE WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS OF THE COMMONWEALTH OF MASSACHUSETTS.

TIMOTHY R. BENNETT P.L.S. #36856 DATE

SITE PLAN APPROVED
DATE: _____

SCITUATE PLANNING BOARD

SCITUATE ASSESSORS PARCEL 12-4-J
#816 COUNTRY WAY
N/F WILLIAM M. HALE, TRUSTEE
DEED BOOK 27355 PAGE 99


SCITUATE ASSESSORS PARCEL 12-4-4
#814 COUNTRY WAY
N/F WILLIAM M. HALE, TRUSTEE
DEED BOOK 37988 PAGE 271

REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS

SITE PLAN
COUNTRY WAY ESTATES
817 COUNTRY WAY
ASSESSORS PARCEL 12-2-38-F
SCITUATE, MASSACHUSETTS


PREPARED FOR: FEBRUARY 2, 2023
OPTION C PROPERTIES L.L.C. SCALE: 1"=20'
P.O. BOX 263 JOB No. 20-475
WEYMOUTH, MA 02190

GRADY CONSULTING, L.L.C.
Civil Engineers, Land Surveyors & Landscape Architects
71 Evergreen Street, Suite 1, Kingston, MA 02364
Phone (781) 585-2300 Fax (781) 585-2378






Scale 1" = 20'

GRADING



Alignment – Main Driveway PROFILE

Alignment – Rear Parking Lot PROFILE



REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS

SITE PLAN
COUNTRY WAY ESTATES
817 COUNTRY WAY
ASSESSORS PARCEL 12-2-38-F
SCITUATE, MASSACHUSETTS

PREPARED FOR:
OPTION C PROPERTIES L.L.C.
P.O. BOX 263
WEYMOUTH, MA 02190

FEBRUARY 2, 2023
SCALE: 1" = 40'
JOB No. 20-475

GRADY CONSULTING, L.L.C.
Civil Engineers, Land Surveyors & Landscape Architects
71 Evergreen Street, Suite 1, Kingston, MA 02364
Phone (781) 585-2300 Fax (781) 585-2378











PROFILES


PLANTING NOTES

- NOTIFY DIG-SAFE AND LOCAL AUTHORITIES PRIOR TO ANY TYPE OF SITE PREPARATION OR CONSTRUCTION
- ALL PLANTS TO HAVE THE SAME RELATIONSHIP TO FINISH GRADE AFTER SETTLEMENT AS TO THEIR ORIGINAL GRADE BEFORE DIGGING. LOCATE PLANT COLLAR TWO OR THREE INCHES HIGHER THAN PLANTING SOIL MIX TO INSURE CORRECT FINAL RELATIONSHIP.
- APPLY AN APPROVED ANTI-DESSICANT TO ALL PLANTS IN LEAF AT PLANTING TIME, AND TO ALL EVERGREENS BEFORE THEIR FIRST WINTER.
- FLOOD ALL PLANTS WITH CLEAN WATER TWICE IN THE FIRST 24 HOURS AFTER PLANTING. CONTRACTOR TO ARRANGE FOR ALL PLANTS TO BE PLANTED WITHIN THREE DAYS AFTER DELIVERY TO THE SITE UNLESS OTHERWISE APPROVED BY THE LANDSCAPE ARCHITECT.
- NEVER CUT A LEADER.
- TRIM ONLY BROKEN OR DEAD BRANCHES FROM EVERGREEN PLANTS.
- THE CONTRACTOR SHALL SUPPLY ALL PLANT MATERIAL AND MULCH IN SUFFICIENT QUANTITIES TO COMPLETE PLANTING AS SHOWN ON THE DRAWINGS. DRAWING QUANTITIES TAKE PRECEDENCE OVER PLANT LIST QUANTITIES.
- ALL PLANT MATERIAL SHALL CONFORM TO THE GUIDELINES BY "THE AMERICAN STANDARD FOR NURSERY STOCK," PUBLISHED BY THE AMERICAN ASSOCIATION OF NURSEYMEN, INC.
- ALL TREES SHALL HAVE "BEST FACE" SIDE TAGGED AT NURSERY PRIOR TO DIGGING.
- ALL PLANTS SHALL BE BALLED AND BURLAPPED OR CONTAINER GROWN, UNLESS OTHERWISE APPROVED BY THE LANDSCAPE ARCHITECT.
- CONTRACTOR TO STAKE TREE LOCATIONS FOR APPROVAL BY LANDSCAPE ARCHITECT.
- LANDSCAPE ARCHITECT TO APPROVE IN PLACE ALL SHRUBS, PERENNIALS AND VINES PRIOR TO PLANTING.
- ALL TREES TO RECEIVE A MINIMUM OF THREE INCHES OF MULCH. ALL SHRUBS, VINES AND GROUND COVERS TO RECEIVE A MINIMUM OF TWO INCHES OF MULCH.
- WHERE SPECIFIED, CALIPER SIZE TO BE OVERRIDING FACTOR IN TREE SELECTION.
- STAKE OR GUY ALL TREES AND LARGE EVERGREEN MATERIAL.
- CONTRACTOR TO PROVIDE TWO YEAR GUARANTEE ON ALL MATERIAL. CONTRACTOR TO MAINTAIN ALL PLANTING AND LAWNS UNTIL FINAL PROJECT ACCEPTANCE. GUARANTEE PERIOD TO BEGIN AT FINAL ACCEPTANCE.
- ALL PLANT MATERIAL SHALL BE INSTALLED PRIOR TO FINAL TOP-DRESSING AND SODDING/SEEDING.
- COORDINATE LANDSCAPE INSTALLATION WITH INSTALLATION OF UNDERGROUND SPRINKLER SYSTEM & LANDSCAPE LIGHTING (IF APPLICABLE).
- NO PLANTING BEFORE THE ACCEPTANCE OF ROUGH GRADING.
- CONTRACTOR TO PROVIDE SOIL TESTS IN AREAS DESIGNATED BY LANDSCAPE ARCHITECT IN FIELD FOR EXISTING SOILS TO DETERMINE APPROPRIATE SOIL AMENDMENTS PRIOR TO THE DISTURBANCE OF SITE.
- ALL PLANTING BEDS TO BE TREATED WITH PREEN AND GREEN OR APPROVED EQUAL TO PROHIBIT WEED GERMINATION AND GROWTH PRIOR TO THE SPREADING OF MULCH.
- ALL PERENNIALS ARE TO BE PLANTED INTO DAMP SOIL.
- PLANT LIST: A COMPLETE LIST OF PLANTS INCLUDING A SCHEDULE OF QUANTITIES, SIZES, TYPES AND NAMES IS INCLUDED IN THIS SET OF DRAWINGS. IN THE EVENT OF DISCREPANCIES BETWEEN QUANTITIES OF PLANTS IN THE PLANT LIST AND THE QUANTITIES SHOWN ON THE DRAWINGS, THE PLAN SHALL GOVERN. WHEN MULTIPLE PLANT SPECIES ARE LISTED IN ONE PLANT CATEGORY, THE GOAL IS TO PROVIDE THE BEST PLANTS AVAILABLE AT THE TIME OF INSTALLATION. THE LANDSCAPE ARCHITECT SHALL SELECT OR COORDINATE THE SELECTION OF THE APPROPRIATE PLANTS AT LOCAL NURSERIES. GRADY CONSULTING HAS THE RIGHT TO REJECT ANY PLANT THAT DOES NOT MEET THE SPECIFICATIONS LISTED IN THE PLANT TABLE.
- PLANT SUBSTITUTION ARE NOT ALLOWED UNLESS APPROVED BY LANDSCAPE ARCHITECT.
- ALL DISTURBED AREAS TO BE LOAMED AND SEEDED AND BLENDED INTO EXISTING GRADE AND CONDITIONS (REFER TO ENGINEER'S SOIL STABILIZATION AND EROSION CONTROL PLAN FOR FURTHER INFORMATION).
- CONTRACTOR SHALL (IF APPLICABLE) REVIEW WITH CLIENT ALL IRRIGATION PROCEDURES AND PROCESSES (i.e. TIMERS, ZONES AND ALL OTHER ITEMS INVOLVED W/ THE IRRIGATION SYSTEM).




PLANT LIST

PLANT LIST		
	CLUMP TREES BIRCH, KATSURA, FRINGE TREE BETULA NIGRA / RIVER BIRCH MULTI-TRUNK	5
	EVERGREEN TREES (B&B 5'-6' HGT.) PICEA ABIES / NORWAY SPRUCE PICEA GLAUCA / WHITE SPRUCE PINUS STROBUS / WHITE PINE	13 3 3 7
	FLOWERING TREES (B&B 2.5' CAL.) CORNUS FLORIDA / EASTERN DOGWOOD PRUNUS Cerasifera 'THUNDERCLOUD' / THUNDERCLOUD PLUM PRUNUS SEKURUTA 'KWANZAN' / FLOWERING CHERRY PYRUS CALLERYANA 'QUANTICLEAR' / QUANTICLEAR PEAR SYRINGA RETICULATA / JAPANESE TREE LILAC	13 7 7
	PYRAMIDAL EVERGREENS (B&B 4-5' HGT.) 15' O.C. THUJA PLICATA 'GREEN GIANT' / WESTERN RED CEDAR	11
	SHADE TREES (B&B 2.5' CAL.) ACER RUBRUM 'RED SUNSET' / RED SUNSET MAPLE FRAXINUS PENNSYLVANICA / GREEN ASH GLEITSIA TRIACANTHOS 'INERMIS' / THORNLESS COMMON HONEYLOCUST TILIA CORDATA / LITTLELEAF LINDEN	27 8 8 8 5
	DECIDUOUS SHRUB (LARGE) - 3'-4' HGT. AMELANCHIER ALNIFOLIA / SERVICEBERRY HIBISCUS SYRIACUS / ROSE OF SHARON SYRINGA VULGARIS / COMMON LILAC	11 4 4 4
	GREEN GIANT ARBOVITAE - 4'-5' HGT. THUJA PLICATA / WESTERN RED CEDAR	49
	ASSORTED PERENNIALS (1 GAL.) ASSORTED PERENNIALS	409 SF 107
	FOUNDATION PLANTINGS (B&B 15-3' HGT.) ILEX CRENATA 'GREEN LUSTRE' / GREEN LUSTER JAPANESE HOLLY ILEX GLABRA 'SHAMROCK' / INK BERRY PERIS JAPONICA 'DOROTHY WYCOFF' / DOROTHY WYCOFF LILY OF THE VALLEY SHRUB PERIS JAPONICA 'MOUNTAIN FIRE' / MOUNTAIN FIRE PERIS RHODODENDRON X LEE'S DARK PURPLE / LEE'S DARK PURPLE RHODODENDRON X 'SCINTILLATION' / SCINTILLATION RHODODENDRON	665 SF 9 9 5 5 5 5
	LOW SHRUBS (3 GAL. 18-24" HGT.) AZALEA X 'BLAUAU'S PINK' / BLAUAU'S PINK AZALEA AZALEA X 'DELAWARE VALLEY WHITE' / VALLEY WHITE AZALEA COTONEASTER ADPRESSUS 'TOM THUMB' / EARLY COTONEASTER EUONYMUS FORTUNEI / WINTERCREEPER HYPERICUM X 'HIDCOTE' / HIDCOTE ST. JOHN'S WORT JUNPERUS CHINENSIS 'SARGENTI' / SARGANT JUNPER LEUCOTHEA FONTANESIANA / DROOPING LEUCOTHOE SPIRAEA X BUMALDA 'LITTLE PRINCESS' / LITTLE PRINCESS SPIRAEA WEIGELA FLORIDA 'MY MONET' / MY MONET WEIGELA	686 SF 12 12 8 8 8 8 8 8



8' DELUXE A-FRAME WOODEN PICNIC TABLE
NOT TO SCALE



FOR REGISTRY USE ONLY

I HEREBY CERTIFY THAT THIS PLAN HAS BEEN PREPARED IN CONFORMANCE WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS OF THE COMMONWEALTH OF MASSACHUSETTS.

TIMOTHY R. BENNETT P.L.S. #36856 DATE

SITE PLAN APPROVED
DATE: _____

SCITUATE PLANNING BOARD



REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2

SITE PLAN
COUNTRY WAY ESTATES
817 COUNTRY WAY
ASSESSORS PARCEL 12-2-38-F
SCITUATE, MASSACHUSETTS

PREPARED FOR:
OPTION C PROPERTIES L.L.C.
P.O. BOX 263
WEYMOUTH, MA 02190

FEBRUARY 2, 2023
SCALE: 1"=20'
JOB No. 20-475

GRADY CONSULTING, L.L.C.
Civil Engineers, Land Surveyors & Landscape Architects
71 Evergreen Street, Suite 1, Kingston, MA 02364
Phone (781) 585-2300 Fax (781) 585-2378



Scale 1" = 20'

NOTE:
SEE SHEET 21-22 FOR SUBSURFACE STORMWATER SYSTEM DETAILS
SEE SHEETS 12-16 FOR SEPTIC SYSTEM DETAILS
SEE SHEET 13 FOR TESTHOLES
SEE SHEET 15 FOR PIPE NETWORK PROFILES
SEE SHEET 17 FOR WATER SYSTEM DETAILS
SEE SHEET 18 FOR ROOF DRAIN DETAIL
SEE SHEET 19 FOR ROADWAY DETAILS

FOR REGISTRY USE ONLY

I HEREBY CERTIFY THAT THIS PLAN HAS BEEN PREPARED IN CONFORMANCE WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS OF THE COMMONWEALTH OF MASSACHUSETTS.

TIMOTHY R. BENNETT P.L.S. #36856 DATE

SITE PLAN APPROVED
DATE:

SCITUATE PLANNING BOARD


REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS

SITE PLAN
COUNTRY WAY ESTATES
#817 COUNTRY WAY
ASSESSORS PARCEL 12-2-38-F
SCITUATE, MASSACHUSETTS


PREPARED FOR:
OPTION C PROPERTIES L.L.C.
P.O. BOX 263
WEYMOUTH, MA 02190

FEBRUARY 2, 2023
SCALE: 1"=20'
JOB No. 20-475

GRADY CONSULTING, L.L.C.
Civil Engineers, Land Surveyors & Landscape Architects
71 Evergreen Street, Suite 1, Kingston, MA 02364
Phone (781) 585-2300 Fax (781) 585-2378



Ladder truck
Overall Length 41.67ft
Overall Width 7.33ft
Overall Body Height 17.56ft
Min Body Ground Clearance 4.6ft
Track Width 7.50ft
Lock-to-lock time 5.00ft
Max Wheel Angle 37.00°



FOR REGISTRY USE ONLY

I HEREBY CERTIFY THAT THIS PLAN HAS BEEN PREPARED IN CONFORMANCE WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS OF THE COMMONWEALTH OF MASSACHUSETTS.

TIMOTHY R. BENNETT P.L.S. #36856 DATE

SITE PLAN APPROVED

DATE:

SCITUATE PLANNING BOARD

NOTE:
SIGNS, LANDSCAPING AND OTHER FEATURES LOCATED WITHIN SIGHT TRIANGLE AREAS SHALL BE DESIGNED, INSTALLED, AND MAINTAINED SO AS NOT TO EXCEED 2.5- FEET IN HEIGHT. SNOW WINDROWS LOCATED WITHIN SIGHT TRIANGLE AREAS THAT EXCEED 36 INCHES IN HEIGHT OR THAT WOULD OTHERWISE INHIBIT SIGHT LINES SHALL BE PROMPTLY REMOVED

SCITUATE ASSESSORS PARCEL 12-4-4-4
#814 COUNTRY WAY
N/F WILLIAM M. HALE, TRUSTEE
DEED BOOK 37988 PAGE 271

REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS


SITE PLAN COUNTRY WAY ESTATES #817 COUNTRY WAY ASSESSORS PARCEL 12-2-38-F SCITUATE, MASSACHUSETTS

PREPARED FOR:
OPTION C PROPERTIES L.L.C.
P.O. BOX 263
WEYMOUTH, MA 02190

FEBRUARY 2, 2023
SCALE: 1"=20'
JOB No. 20-475

GRADY CONSULTING, L.L.C.

Civil Engineers, Land Surveyors & Landscape Architects
71 Evergreen Street, Suite 1, Kingston, MA 02364
Phone (781) 585-2300 Fax (781) 585-2378




Scale 1" = 20'

- NOTES:
1. SIGHT DISTANCES SHOWN HEREON ARE BASED UPON THE AASHTO TRAFFIC CODE, 6TH EDITION, PER SECTION 720.7(K) OF THE SCITUATE ZONING BY LAW COMMON DRIVEWAY DESIGN STANDARDS.
 2. POSTED SPEED LIMIT AT DRIVEWAY INTERSECTION IS 30 MPH.
 3. AASHTO SECTION 1340 DIAGRAM 3 REQUIRES A 250' STOPPING DISTANCE FROM A DRIVEWAY FOR A POSTED SPEED LIMIT OF 25 MPH.
 4. INTERSECTION LINE OF SIGHT MAY BE TAKEN FROM ANY POINT FROM 10' TO 18' OFF THE EDGE OF ROADWAY PAVEMENT PER AASHTO SECTION 1340.
 5. FOR INTERSECTION SIGHT DISTANCE STUDIES THE HEIGHT OF MOTORISTS EYE IS 3.5' AND THE HEIGHT OF APPROACHING OBJECT IS 3.5' PER AASHTO.
 6. FOR STOPPING SIGHT DISTANCE THE HEIGHT OF MOTORISTS EYE IS 3.5' AND THE HEIGHT OF OBJECT IS 2.0' PER AASHTO.

POSTED SPEED LIMIT 25 MPH	REQUIRED	PROVIDED
STOPPING SIGHT DISTANCE	155 FT	245 FT

SAFETY & SIGNAGE



SEPTIC DESIGN FLOW

	BEDROOMS	DESIGN FLOW
BLD #1	16	= 1,760 GPD
BLD #2	20	= 2,200 GPD
BLD #3	35	= 3,850 GPD
TOTAL	71	= 7,810 GPD

FLOW TO EXISTING SYSTEM = 2,640 GPD
FLOW TO PROPOSED SYSTEM = 5,170 GPD

SEPTIC DESIGN (NOT DESIGNED FOR GARBAGE GRINDER)

TITLE 5
1. DESIGN DAILY FLOW

RETAIN EXISTING SYSTEM

CAPACITY = 25 BR OR 2,750 GPD
16 (1,760 GPD) + 8 BR (880 GPD) FROM BUILDING #2 TO EXISTING SYSTEM
= 1,760 + 880 = 2,640 GPD < 2,750 GPD CAPACITY

PROPOSED SYSTEM

CAPACITY = 71 BR -24 BR (TO EXIST SYSTEM) = 47 BR X 110 = 5,170 GPD

2. PERC RATE: P.R. =11 MIN/IN CLASS II

ENVIRO-SEPTIC DESIGN (NOT DESIGNED FOR GARBAGE GRINDER)

*USE 6,050 GPD FOR ENVIRO-SEPTIC DESIGN CRITERIA > 5,170 PROPOSED

TITLE 5 MINIMUM AREA = 6,050 GPD / 0.56 GPD/S.F. = 10,804 S.F.
PER CERTIFICATION FOR GENERAL USE SECTION II(3) 40% REDUCTION IN SOIL ABSORPTION SYSTEM ALLOWED
REQUIRED AREA =10,804 S.F. LESS 40% =6,482 S.F.

USE: 2-104' LONG X 31.75' WIDE ENVIRO-SEPTIC PIPE LEACHING BED SYSTEMS

PROPOSED AREA(PER SYSTEM): 104 X 33.0 X 2 FIELDS =6,864 > 6,482

ENVIRO-SEPTIC PIPE REQUIRED

420 LF FOR FIRST 6 BR + (70 LF. X 49 BR) = 3850 LF REQUIRED - 4,200 LF PROPOSED
42-100 FT PIPES IN 14 COMBINATION SERIAL SECTION

ENVIRO-SEPTIC MAX FLOW PER SERIAL SECTION = 500 GPD LOADING RATE
6,050 / 500 = 12.1 SERIAL SECTIONS - USE 14 SECTIONS

LOADING RATE 100 GPD PER 50 FT
SERIAL SECTION = 185 LF/50 * 100 GPD = 370 GPD

SEPTIC TANK DESIGN

SEPTIC TANK (BLD#2 TO EXISTING SYSTEM):
8 BR X 110 = 880 GPD X 2 =1,760: USE 2,500 1ST TANK GAL (MIN)
880 GPD X 1 =880: USE 1,500 GALLON SECOND TANK

SEPTIC TANK (BLD#2 TO PROPOSED SYSTEM):
12 BR X 110 = 1320 GPD X 2 =2,640: USE 3,000 1ST TANK GAL (MIN)
1320 GPD X 1 =1,320: USE 1,500 GALLON SECOND TANK

SEPTIC TANK (BLD#3 TO PROPOSED SYSTEM):
35 BR X 110 = 3850 GPD X 2 =7,700: USE 8,000 1ST TANK GAL (MIN)
3850 GPD X 1 =3,850: USE 4,000 GALLON SECOND TANK

SEPTIC NOTES:

1. SOILS TESTING BY KEVIN GRADY, GRADY CONSULTING WITNESSED BY RALPH COLE APRIL 27, 2022.
2. CALL DIG SAFE 1-888-344-7233 AT LEAST 4 DAYS PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. NOTIFY TOWN AND GRADY CONSULTING PRIOR TO BACKFILLING OF SYSTEM.
4. NO KNOWN WELLS EXIST WITHIN 200' OF THE PROPOSED SYSTEM
5. THE SITE IS NOT LOCATED IN AN AQUIFER PROTECTION ZONE II.
6. ALL SYSTEM COMPONENTS SHALL BE MARKED WITH MAGNETIC MARKING TAPE OR A COMPARABLE MEANS IN ORDER TO LOCATE THEM ONCE BURIED (310 CMR 15.221(12))
7. THE SITE NOT IS LOCATED IN A FLOOD PLAIN DISTRICT ZONE X.
8. NO KNOWN EASEMENTS ARE IN THE AREA OF THE PROPOSED SYSTEM.
9. EXCAVATE ALL MATERIAL (A, B LAYER) TO LOAMY SAND C1 LAYER (30"±), 5' AROUND SYSTEM. REPLACE WITH CLEAN COURSE SAND IN ACCORDANCE WITH 310 CMR 15.255 (3). EXCAVATION TO BE INSPECTED BY GRADY CONSULTING L.L.C. AND TOWN PRIOR TO SOIL REPLACEMENT

APPROXIMATE PRESBY (C-33 SAND) SAND VOLUME = 6864 SF X (35.03 - 33.03) / 27 + 20% = 600± C.Y.
APPROXIMATE PERC SAND VOLUME = 9760 SF x (33.0 - 30.0±) / 27 + 20% = 1,300± C.Y.

10. THE SYSTEM IS NOT LOCATED WITHIN 100 FT OF SURFACE WATERS OR WETLANDS.

ALTERNATIVE SYSTEM APPROVAL REFERENCE

THIS SYSTEM HAS BEEN DESIGNED IN ACCORDANCE WITH THE COMMONWEALTH OF MASSACHUSETTS DEPARTMENT OF ENVIRONMENTAL PROTECTION MODIFIED CERTIFICATION FOR GENERAL USE, PURSUANT TO TITLE V, 310 CMR 15.000, REVISED DECEMBER 17, 2013, MODIFIED OCTOBER 30, 2019, MODIFIED FEBRUARY 2, 2022 AND STANDARD CONDITIONS FOR ALTERNATIVE SOIL ABSORPTION SYSTEMS WITH GENERAL USE CERTIFICATION AND/OR APPROVED FOR REMEDIAL USE REVISED MARCH 5, 2018, A DISCLOSURE NOTICE IN THE DEED TO THE PROPERTY IS REQUIRED FOR SYSTEMS INSTALLED UNDER THE REMEDIAL USE APPROVAL.

FOR REGISTRY USE ONLY

I HEREBY CERTIFY THAT THIS PLAN HAS BEEN PREPARED IN CONFORMANCE WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS OF THE COMMONWEALTH OF MASSACHUSETTS.

TIMOTHY R. BENNETT P.L.S. #36856 DATE

SITE PLAN APPROVED
DATE: _____


SCITUATE PLANNING BOARD

REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS

SITE PLAN
COUNTRY WAY ESTATES
#817 COUNTRY WAY
ASSESSORS PARCEL 12-2-38-F
SCITUATE, MASSACHUSETTS


PREPARED FOR: FEBRUARY 2, 2023
OPTION C PROPERTIES L.L.C. SCALE: 1"= 40'
P.O. BOX 263 JOB No. 20-475
WEYMOUTH, MA 02190

Grady Consulting, L.L.C.
Civil Engineers, Land Surveyors & Landscape Architects
71 Evergreen Street, Suite 1, Kingston, MA 02364
Phone (781) 585-2300 Fax (781) 585-2378




CONVENTIONAL REPLACEMENT AREA

SCALE 1" = 20'




Scale 1" = 20'



PRESBY LAYOUT DETAIL

SCALE: 1"=10'



Scale 1" = 10'

FOR REGISTRY USE ONLY

I HEREBY CERTIFY THAT THIS PLAN HAS BEEN PREPARED IN CONFORMANCE WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS OF THE COMMONWEALTH OF MASSACHUSETTS.

TIMOTHY R. BENNETT P.L.S. #36856 DATE

SITE PLAN APPROVED
DATE:

SCITUATE PLANNING BOARD

CONVENTIONAL REPLACEMENT AREA

LEACHING FIELDS: P.R. = 11 MIN/IN

TITLE 5 MINIMUM AREA = 5,170 GPD / 0.56 GPD/S.F. = 9233 S.F.
USE 16 -100' LONG X 2' WIDE X 2' DEEP LEACHING TRENCHES

16 X 97 X 6 SF/LF = 9,312 X 0.56 = 5,214 > 5,170 GPD

REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS

SITE PLAN
COUNTRY WAY ESTATES
817 COUNTRY WAY
ASSESSORS PARCEL 12-2-38-F
SCITUATE, MASSACHUSETTS


PREPARED FOR:
OPTION C PROPERTIES L.L.C.
P.O. BOX 263
WEYMOUTH, MA 02190

FEBRUARY 2, 2023
SCALE: 1"=20'
JOB No. 20-475




GRADY CONSULTING, L.L.C.

Civil Engineers, Land Surveyors & Landscape Architects
71 Evergreen Street, Suite 1, Kingston, MA 02364
Phone (781) 585-2300 Fax (781) 585-2378




SEE SHEET 12 FOR SIZING CALCULATIONS

PROPOSED SEPTIC TANKS BLD #2 (12 BR) TO PROPOSED SYSTEM
(NOT TO SCALE)



SEE SHEET 12 FOR SIZING CALCULATIONS

PROPOSED SEPTIC TANKS BLD #2 (8 BR) TO EXISTING SYSTEM
(NOT TO SCALE)



SANITARY SEWER MANHOLE

NOT TO SCALE

NOTES:

- 6\"/>

PUMP DESIGN

STATIC HEAD = 6.94 FT
NETWORK LOSS = 3.28 FT
PIPE LENGTH = 120 FT PIPE
DIAMETER = 2 IN

PUMP SPECIFICATIONS:

TYPE: GOULD MODEL 3887(OR APPROVED EQUAL)
RATING: 50 G.P.M. @ 15 TDH
MOTOR: 1/3 HORSE POWER
VOLTAGE REQUIRED: 230 VOLTS, 7.3A (SINGLE PHASE)
PROVIDE ALARM LOCATED IN THE BUILDING AND POWERED BY A
CIRCUIT SEPARATE FROM THE CIRCUIT TO THE PUMP.

GPM	VEL. (FT/SEC)	HL (FT/100FT)	HL (FT)	HL (TOTAL)
20	1.92	0.86	1.04	7.98
40	3.83	3.11	3.73	10.67
60	5.75	6.60	7.91	14.85
80	7.65	11.43	13.46	20.40


REFERENCE: CAMERON HYDRAULIC DATA, PG 3-38 & GOULDS PUMPS WASTEWATER & SEWAGE
CHAMBER STORAGE CAPACITY

(165 GAL/DOSE) / 545 GAL/FT OF TANK = 0.3 FT (MIN)
3 FT OR 1635 GAL EMERGENCY STORAGE CAPACITY PROVIDED > 24 HR REQUIRED CAPACITY
(3 FT x 545 GAL/FT = 1635 GAL)


MAX DOSE VOLUME

CLASS II SOILS 8 DOSES PER DAY = 168 GALLONS PER DOSE
EACH GALLON OF EFFLUENT PUMPED PER CYCLE REQUIRES 1.0 FT OF PRESBY PIPE

168 LF REQUIRED, 4,200 LF PROPOSED



PLAN VIEW



CROSS-SECTION VIEW

PUMP CHAMBER DETAIL: 2500 GAL.


NOT TO SCALE

TIMOTHY R. BENNETT P.L.S. #36856 DATE

SITE PLAN APPROVED

DATE: _____

SCITUATE PLANNING BOARD



SUMP DRAIN

NOT TO SCALE

REVISIONS

JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS

SITE PLAN

COUNTRY WAY ESTATES

817 COUNTRY WAY

ASSESSORS PARCEL 12-2-38-F

SCITUATE, MASSACHUSETTS

PREPARED FOR:

OPTION C PROPERTIES L.L.C.

P.O. BOX 263

WEYMOUTH, MA 02190

FEBRUARY 2, 2023

SCALE: AS NOTED


JOB No. 20-475

GRADY CONSULTING, L.L.C.
Civil Engineers, Land Surveyors & Landscape Architects
71 Evergreen Street, Suite 1, Kingston, MA 02364
Phone (781) 585-2300 Fax (781) 585-2378

SOIL LOGS







T.H.1 EL. 32.44	T.H.2 EL. 32.44	T.H.3 EL. 31.68	T.H.4 EL. 33.52	T.H.5 EL. 34.73	T.H.6 EL. 36.03	T.H.7 EL. 35.16	T.H.8 EL. 37.13	T.H.9 EL. 35.22	T.H.10 EL. 20.23
0'-10" A FILL/LOAM	0'-12" A FILL/LOAM	0'-10" A FILL/LOAM	0'-8" A FILL/LOAM	0'-10" A FILL/LOAM	0'-12" A FILL/LOAM	0'-8" A FILL/LOAM	0'-12" A FILL/LOAM	0'-4" A LOAM	0'-48" FILL
31.60	31.44	30.84	32.85	33.89	35.03	35.03	36.13	34.88	16.23
10"-26" B LOAMY SAND	12"-22" B LOAMY SAND	10"-25" B LOAMY SAND	8"-30" B LOAMY SAND	10"-24" B LOAMY SAND	12"-26" B LOAMY SAND	8"-30" B SANDY LOAM	12"-30" B LOAMY SAND	4"-22" B SANDY LOAM	
30.27	30.60	29.59	31.02	32.73	33.86	33.86	34.63	33.38	
26"-68" C1 LOAMY SAND	22"-80" C LOAMY SAND	25"-120" C LOAMY SAND	30"-120" C LOAMY SAND	24"-120" C LOAMY SAND	24"-120" C LOAMY SAND	30"-72" C SANDY LOAM	30"-64" C LOAMY SAND	22"-50" C1 SANDY LOAM	48"-60" B LOAMY SAND
26.77	36"-54" P.R.=11 MIN/IN	25.77	37"-55" P.R.=4 MIN/IN	37"-55" P.R.=4 MIN/IN	28"-46" P.R.=7 MIN/IN	26.03	31.79	31.05	15.23
68"-132" C2 SANDY LOAM	D=6'-8" MOTTLING	D=10'-0" MOTTLING	D=10'-0" MOTTLING	D=10'-0" MOTTLING	D=10'-0" MOTTLING	D=6'-0" MOTTLING	D=6'-0" MOTTLING	50"-76" C LOAMY SAND	60"-84" C1 LOAMY SAND
21.44	5'-0" (EL=27.44)	4'-10" (EL=26.84)	7'-0" (EL=26.52)	7'-0" (EL=25.73)	7'-0" (EL=29.03)	4'-0" (EL=31.16)	3'-6" (EL=33.63)	D=6'-4" MOTTLING	D=7'-0" MOTTLING
D=11'-0" MOTTLING								2'-10" (EL=32.38)	6'-0" (EL=14.23)
5'-8" (EL=26.67)									

SOILS TESTING (TH #1-8) BY KEVIN GRADY, GRADY CONSULTING WITNESSED BY RALPH COLE APRIL 27, 2022.

TESTHOLES #9 & 10 BY KEVIN GRADY, GRADY CONSULTING
DRAINAGE TESTHOLES DECEMBER 22, 2022

PROPOSED DISTRIBUTION BOX

(NOT TO SCALE)




REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS


S I T E P L A N
COUNTRY WAY ESTATES
#817 COUNTRY WAY
ASSESSORS PARCEL 12-2-38-F
SCITUATE, MASSACHUSETTS

PREPARED FOR: FEBRUARY 2, 2023
 OPTION C PROPERTIES L.L.C. SCALE: AS NOTED
 P.O. BOX 263 JOB No. 20-475
 WEYMOUTH, MA 02190



GRADY CONSULTING, L.L.C.
Civil Engineers, Land Surveyors & Landscape Architects
 71 Evergreen Street, Suite 1, Kingston, MA 02364
 Phone (781) 585-2300 Fax (781) 585-2378



Alignment - (SEPTIC BLD#2 TO EXISTING SYSTEM) PROFILE



Alignment - (Main Septic) PROFILE



SEE SHEETS 12 & 14 FOR ADDITIONAL PROFILE ELEVATIONS AND INFORMATION

REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS

SITE PLAN
COUNTRY WAY ESTATES
817 COUNTRY WAY
ASSESSORS PARCEL 12-2-38-F
SCITUATE, MASSACHUSETTS

PREPARED FOR:
OPTION C PROPERTIES L.L.C.
P.O. BOX 263
WEYMOUTH, MA 02190

FEBRUARY 2, 2023
SCALE: 1" = 20'
JOB No. 20-475

GRADY CONSULTING, L.L.C.
Civil Engineers, Land Surveyors & Landscape Architects
71 Evergreen Street, Suite 1, Kingston, MA 02364
Phone (781) 585-2300 Fax (781) 585-2378

SEPTIC PLAN AND PROFILES

WATER SPECIFICATIONS

- RESILIENT SEATED WEDGE GATE VALVES
- a. VALVES SHALL BE IRON BODY, BL-DIRECTIONAL, RESILIENT TYPE, DESIGNED FOR 200 PSI WORKING PRESSURE AND CONFORM TO THE LATEST REVISION OF AWWA C-509-87.
 - b. VALVES SHALL HAVE O RING SEALS, NON-RISING SEAM AND 2" OPERATING VALVES SHALL OPEN LEFT.
 - c. VALVES SHALL HAVE MECHANICAL JOINT END, UNLESS OTHERWISE NOTED.
 - d. VALVES INTERIORS SHALL BE EPOXY COATED IN ACCORDANCE WITH AWWA SPECIFICATION C-550.
 - e. VALVES SHALL BE AS MANUFACTURED MUELLER, CLOW OR AMERICAN DARLING.

- VALVE BOXES
- a. VALVE BOXES SHALL BE CAST IRON, TOR COATED, TELESCOPING HEAVY POHERN TYPE, CONSISTING OF FLANGED BOTTOM, FLANGED TOP AND COVER WITH THE WORD "WATER" COST IN THE COVER.

- FITTINGS
- a. FITTINGS SHALL BE FULL FLOW, COMPACT SIZE CONFORMING TO THE LATEST REVISION OF AWWA SPECIFICATION C-153 AND HAVE A WORKING PRESSURE RATING OF 200 PSI.
 - b. UNLESS OTHERWISE APPROVED, ALL FITTINGS SHALL HOVE MECHANICAL JOINT ENDS WITH APPROPRIATE GLANDS, GASKETS, NUTS, BOLTS AND ACCESSORIES.
 - A. RESTRAINED JOINTS FOR MECHANICAL JOINT FITTINGS SHALL BE MECHANICAL AS MANUFACTURED BY EBBA IRON CO.

- DUCTILE IRON
- a. ALL DUCTILE IRON PIPE SHALL BE DESIGNED IN ACCORDANCE WITH ANS A21.50 AND MANUFACTURED IN ACCORDANCE WITH ANS A21.51.
 - b. ALL DUCTILE IRON PIPE SHALL BE CEMENT LINED CLASS 52 WITH AN EXTERIOR TAR COAT IN ACCORDANCE WITH ANS 21.50/SAWWA C150/AWWA C111.
 - c. ALL DUCTILE IRON PIPE SHALL BE CEMENT LINED IN ACCORDANCE WITH ANS A21.4.
 - d. ALL PIPE JOINTS SHALL BE OF THE BELL SPIGOT TYPE.

- METALLIC INDICATOR TAPE
- a. METALLIC INDICATOR LOPE WITH "CAUTION WATER MAIN BURIED BELOW" SHALL BE PLACED IN TRENCH 1' FROM FINAL GRADE.

- CORPORATION STOP
- a. THE CORPORATION STOP SHALL BE OF OLL BRONZE CONSTRUCTIONS. THE INLET THREAD SHALL BE OF C.C. TYPE. OUTLET CONNECTIONS SHALL BE COMPRESSION SUITABLE FOR USE WITH TYPE K COPPER TUBING.
 - B. FOR PURPOSES OF STANDARDIZATION, CORPORATION STOP SHALL BE MODEL F-1000CC A& MANUFACTURED BY THE FORD METER BOX CO.,

- CURB STOPS
- a. CURB STOPS SHALL BE OF ALL BRONZE CONSTRUCTION WITH A DRAIN AND INLET AND OUTLET COMPRESSION CONNECTION SUITABLE FOR USE WITH TYPE K COPPER TUBING. CURB STOPS SHALL OPEN LEFT.
 - C. FOR PURPOSES OF STANDARDIZATION, THE CURB STOP SHALL BE MODEL NO. 244-4445 OS MANUFACTURED BY THE FORD METER BOX CO.


- CURB BOX
- a. THE CURB BOX SHALL BE COST IRON TAR COATED TELESCOPING "ERIES" TYPE WITH ROD, CONSISTING OF A BOTTOM, TOP AND COVER SECURED BY C PENTAGON NUT.

- SADDLES
- a. SADDLES FOR SERVICE CONNECTIONS SHALL BE ALL BRASS WITH A MINIMUM 1" CC OUTLET.
 - b. FOR THE PURPOSES OF STANDARDIZATION, THE SADDLE SHALL BE MODEL 202-B5-1110X4CC AS MANUFACTURED BY THE FORD METER CO.

- SERVICE CONNECTIONS
- a. ALL SERVICE CONNECTIONS SHALL CONSIST OF O SADDLE, CORPORATION STOP, CURB STOP, CURB BOX, COPPER TYPE K TUBING, STAINLESS STEEL INSERTS AND METALLIC INDICATOR TAPE.

- HYDRANTS
- a. ALL HYDRANTS SHALL BE THE MUELLER SUPER CENTURION.


- METERS
- a. EACH UNIT WILL REQUIRE A 5/8" WATER METER.



PLAN HORIZONTAL BEND


PLAN TEE

NOTE: COVER MECHANICAL JOINTS WITH 3 MIL POLYETHYLENE TO PROTECT BOLTS FROM CONCRETE THRUST BLOCK



PLAN PLUG END OF LINE


THRUST BLOCK REQUIREMENTS	
FITTING	MIN BEARING AREA (SF)
8"X 1/8 BEND	12
12"X 8" TEE	12
10"X 8" TEE	10
8"X 8" TEE	9
8"X 6" TEE	5
8" CAP / PLUG	12
12"X 8" REDUCER	8
10"X 8" REDUCER	6
8" X 6" REDUCER	4
8" 22 1/2" & 45° BENDS	8
ALL TEES AND VALVES	10
HYDRANTS	9



ELEVATION - VERTICAL BENDS


ANCHORAGE DETAILS

NOT TO SCALE




NUMBER PLATE / PLAQUE DETAIL (DRIVEWAY POST AND HOUSE)

N.T.S.




BUILDING POST

N.T.S.



HANGING DIRECTORY SIGN

N.T.S.



STOP SIGN SHALL CONFORM TO THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES WITH THE EXCEPTION OF BEING DIAMOND GRADE

12" WIDE X 12 FT LONG STOP LINE TO BE PLACED 4 FT IN ADVANCE OF NEAREST CROSSWALK.

IN THE ABSENCE OF MARKED CROSSWALK THE STOP LINE SHALL BE PLACED NO MORE THAN 30 FT NOR LESS THAN 4 FT FROM THE NEAREST EDGE OF THE INTERSECTING TRAVELED WAY.

STOP SIGN DETAIL

(NOT TO SCALE)

REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS

SITE PLAN
COUNTRY WAY ESTATES
817 COUNTRY WAY
ASSESSORS PARCEL 12-2-38-F
SCITUATE, MASSACHUSETTS

PREPARED FOR:
OPTION C PROPERTIES LLC.
P.O. BOX 263
WEYMOUTH, MA 02190


FEBRUARY 2, 2023
SCALE: AS NOTED
JOB No. 20-475

GRADY CONSULTING, L.L.C.


Civil Engineers, Land Surveyors & Landscape Architects
71 Evergreen Street, Suite 1, Kingston, MA 02364
Phone (781) 585-2300 Fax (781) 585-2378

WATER SUPPLY NOTES

1. THERE SHALL BE NO PHYSICAL CONNECTION BETWEEN A PUBLIC OR PRIVATE POTABLE WATER SUPPLY SYSTEM AND A SEWER, OR APPURTENANCE THERETO WHICH WOULD PERMIT THE PASSAGE OF ANY WASTEWATER OR POLLUTED WATER INTO THE POTABLE SUPPLY.
2. SEWER LINES MAY BE LAID CLOSER THAN 10 FEET TO A WATER MAIN PROVIDED THAT IT IS
 - A. LAID IN A SEPARATE TRENCH, AND
 - B. THE ELEVATION OF THE TOP(CROWN) OF THE SEWER IS AT LEAST 18 INCHES BELOW THE BOTTOM(INVERT) OF THE WATER MAIN.
3. WHENEVER SEWERS MUST CROSS UNDER WATER MAINS, THE SEWER SHALL BE LAID AT SUCH AN ELEVATION THAT THE TOP OF THE SEWER IS AT LEAST 18 INCHES BELOW THE BOTTOM OF THE WATER MAIN. WHEN THE ELEVATION OF THE SEWER CANNOT BE VARIED TO MEET THIS REQUIREMENT, THE WATER MAIN SHALL BE RELOCATED TO PROVIDE THIS SEPARATION OR RECONSTRUCTED WITH MECHANICAL JOINT PIPE FOR A DISTANCE OF 10 FEET ON EACH SIDE OF THE SEWER. ONE FULL LENGTH OF WATER MAIN SHOULD BE CENTERED OVER THE SEWER SO THAT BOTH JOINTS WILL BE AS FAR FROM THE SEWER AS POSSIBLE.
4. WHEN IT IS IMPOSSIBLE TO OBTAIN PROPER HORIZONTAL AND VERTICAL SEPARATION AS STIPULATED ABOVE, BOTH THE WATER MAIN AND SEWER SHALL BE CONSTRUCTED OF MECHANICAL JOINT CAST IRON PIPE AND SHALL BE PRESSURE TESTED TO ASSURE WATERTIGHTNESS.




2"Ø DOMESTIC WATER SERVICE DETAIL




TYPICAL WATER TRENCH DETAIL
NOT TO SCALE

1. GRAVEL BORROW SHALL CONFORM TO MASS HIGHWAY SPECIFICATION M1.03.0
2. CRUSHED STONE BEDDING SHALL CONFORM TO MASS HIGHWAY SPECIFICATION M2.01.1



HYDRANT DETAIL




(NOT TO SCALE)



TAPPING SLEEVE DETAIL


(NOT TO SCALE)

DETAILS - WATER



SECTION A-A
OUTLET PROTECTION
DETAIL



NOT TO SCALE



- NOTE:
- SPLASH PAD TO BE USED FOR DOWN SPOUTS HAVING OVERFLOW DISCHARGING ON GROUND SURFACES ONLY.
 - SPLASH PAD NOT REQUIRED FOR DOWN SPOUTS HAVING OVERFLOW DISCHARGES ON PARKING AREAS.


PIPE DIA.	12"	8"	6"
A	10'-0"	8'-0"	6'-0"
B	7'-6"	5'-6"	4'-6"
C	2'-6"	2'-6"	1'-6"
D	3'-0"	2'-0"	1'-0"
E	4'-0"	3'-0"	2'-6"

CONSERVATION PLAQUE TO BE PLACED EVERY 32 FT ON FENCE (SEE DETAIL BELOW)



SPLIT RAIL FENCE DETAIL
N.T.S.

2 DOWN SPOUT CONNECTION DETAIL
Scale: NONE



NOTE:
1. ALL SCREWS AND FASTENERS TO BE STAINLESS STEEL
2. ALL FASTENERS AND PLUGS SHOULD BE ALIGNED TO FORM A PATTERN

00 PRIVACY FENCE 5" CEDAR
Scale: NONE


FOR REGISTRY USE ONLY

I HEREBY CERTIFY THAT THIS PLAN HAS BEEN PREPARED IN CONFORMANCE WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS OF THE COMMONWEALTH OF MASSACHUSETTS.

TIMOTHY R. BENNETT P.L.S. #36856 DATE

SITE PLAN APPROVED
DATE: _____

SCITUATE PLANNING BOARD




VERSA-LOK UNIT
UNIT DIMENSIONS
SCALE: NONE

THESE PRELIMINARY DETAILS ARE INTENDED AS AN AID IN DESIGNING ATTRACTIVE, DURABLE RETAINING WALLS WITH VERSA-LOK UNITS. FINAL DETERMINATION OF THE SUITABILITY OF ANY INFORMATION OR MATERIAL FOR THE USE CONTAINED HEREIN, AND ITS MANNER OF USE, IS THE SOLE RESPONSIBILITY OF THE USER. A FINAL PROJECT SPECIFIC DESIGN SHOULD BE PREPARED BY A QUALIFIED, LICENSED, PROFESSIONAL ENGINEER.

VERSA-LOK®
Retaining Wall Systems
Solid Solutions™

VERSA-LOK STANDARD DETAILS
STANDARD UNIT

DATE: 1/19/24
DRAWN BY: JRS
CHECKED BY: JRS
DATE: 10/20/23
DESIGNED BY: JRS




TYPICAL SECTION—UNREINFORCED RETAINING WALL
SCALE: NONE

THESE PRELIMINARY DETAILS ARE INTENDED AS AN AID IN DESIGNING ATTRACTIVE, DURABLE RETAINING WALLS WITH VERSA-LOK UNITS. FINAL DETERMINATION OF THE SUITABILITY OF ANY INFORMATION OR MATERIAL FOR THE USE CONTAINED HEREIN, AND ITS MANNER OF USE, IS THE SOLE RESPONSIBILITY OF THE USER. A FINAL PROJECT SPECIFIC DESIGN SHOULD BE PREPARED BY A QUALIFIED, LICENSED, PROFESSIONAL ENGINEER.

VERSA-LOK®
Retaining Wall Systems
Solid Solutions™

VERSA-LOK STANDARD DETAILS
UNREINFORCED SECTION

DATE: 1/19/24
DRAWN BY: JRS
CHECKED BY: JRS
DATE: 10/20/23
DESIGNED BY: JRS




STEPPING BASE DETAIL
SCALE: NONE

THESE PRELIMINARY DETAILS ARE INTENDED AS AN AID IN DESIGNING ATTRACTIVE, DURABLE RETAINING WALLS WITH VERSA-LOK UNITS. FINAL DETERMINATION OF THE SUITABILITY OF ANY INFORMATION OR MATERIAL FOR THE USE CONTAINED HEREIN, AND ITS MANNER OF USE, IS THE SOLE RESPONSIBILITY OF THE USER. A FINAL PROJECT SPECIFIC DESIGN SHOULD BE PREPARED BY A QUALIFIED, LICENSED, PROFESSIONAL ENGINEER.

VERSA-LOK®
Retaining Wall Systems
Solid Solutions™

VERSA-LOK STANDARD DETAILS
STEPPING BASE

DATE: 1/19/24
DRAWN BY: JRS
CHECKED BY: JRS
DATE: 10/20/23
DESIGNED BY: JRS




TYPICAL SECTION—REINFORCED RETAINING WALL
SCALE: NONE

THESE PRELIMINARY DETAILS ARE INTENDED AS AN AID IN DESIGNING ATTRACTIVE, DURABLE RETAINING WALLS WITH VERSA-LOK UNITS. FINAL DETERMINATION OF THE SUITABILITY OF ANY INFORMATION OR MATERIAL FOR THE USE CONTAINED HEREIN, AND ITS MANNER OF USE, IS THE SOLE RESPONSIBILITY OF THE USER. A FINAL PROJECT SPECIFIC DESIGN SHOULD BE PREPARED BY A QUALIFIED, LICENSED, PROFESSIONAL ENGINEER.

VERSA-LOK®
Retaining Wall Systems
Solid Solutions™

VERSA-LOK STANDARD DETAILS
REINFORCED TYPICAL SECTION

DATE: 1/19/24
DRAWN BY: JRS
CHECKED BY: JRS
DATE: 10/20/23
DESIGNED BY: JRS



CONSERVATION AREA
SIGN DETAIL
(NOT TO SCALE)

REVISIONS	
JUNE 19, 2023	RESPOND TO TEC: PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS

SITE PLAN
COUNTRY WAY ESTATES
817 COUNTRY WAY
ASSESSORS PARCEL 12-2-38-F
SCITUATE, MASSACHUSETTS

PREPARED FOR:
OPTION C PROPERTIES L.L.C.
P.O. BOX 263
WEYMOUTH, MA 02190


FEBRUARY 2, 2023
SCALE: AS NOTED
JOB No. 20-475



GRADY CONSULTING, L.L.C.
Civil Engineers, Land Surveyors & Landscape Architects
71 Evergreen Street, Suite 1, Kingston, MA 02364
Phone (781) 585-2300 Fax (781) 585-2378

- NOTES:
- STRUCTURAL DESIGN BY OTHERS
 - WALL SUBSTITUTIONS ALLOWED WITH APPROVAL FROM SITE ENGINEER.

RETAINING WALL DETAIL
NOT TO SCALE



CULTEC RECHARGER DATA										
	SDA #1		SDA #2		SDA #3		SDA #4		SDA #5 (STORAGE)*	
IMPERMEABLE LINER	NO		NO		NO		NO		YES	
RECHARGER MODEL	C-100HD		R-330 XLHD		R-330 XLHD		R-330 XLHD		R-330 XLHD	
BOTTOM OF STONE	—	33.80	—	35.70	—	18.00	—	34.50	—	31.00
TOP OF STONE (A)	6"	34.30	12"	36.70	6"	18.50	6"	35.00	6"	31.50
CHAMBER (B)	1.0'	35.30	2.5'	39.20	2.5'	21.00	2.5'	37.50	2.5'	34.00
STONE COVER (C)	8"	35.80	12'	40.20	6"	21.50	20"	39.17	6"	34.50
FINISHED GRADE/ OUTLET/INSPECTION PORT (D)	2"	36.00	4"	40.60	6"	22.00	4"	39.50	6"	37.00
SIDE STONE (E)	12" (SECTION A) 12" (SECTION B) 18" (SECTION C)	—	12"	—	24" (SECTION A) 20" (SECTION B) 23" (SECTION C)	—	12"	—	12"	
END STONE	12" (SECTION A) 12" (SECTION B) 18" (SECTION C)	—	12"	—	15" (SECTION A) 33" (SECTION B) 31" (SECTION C)	—	12"	—	12"	
INV(OUT)	2" HDPE	35.00	4" HDPE	38.70	10" HDPE	19.40	4" HDPE	36.05	CAPPED 6" HDPE W/2" ORIFICE	31.00
GROUNDWATER	—	31.75		33.63		16.00		32.50		—

[illegible]

SURFACE DRAINAGE SYSTEMS MAINTENANCE SCHEDULE
INSPECT INLETS AND ACCESS MANHOLES TWICE PER YEAR
REMOVE ANY DEBRIS THAT MIGHT CLOG THE SYSTEM

AFTER CONSTRUCTION, THE SYSTEMS SHOULD BE INSPECTED FOR STANDING WATER 1-2 DAYS AFTER ANY SIGNIFICANT RAINFALL EXCEEDING 1" OF RAINFALL IN 24 HOURS OR MAJOR STORM EVENT. IF THE SYSTEM IS CONTINUING TO HOLD STANDING WATER AFTER 2 DAYS THE OWNER SHOULD HAVE IT INSPECTED AND REPAIRED. THE SYSTEMS SHOULD ALSO BE INSPECTED TO VERIFY WHETHER THE INFILTRATION FUNCTION HAS BEEN LOST. IF INFILTRATION CAPACITY HAS BECOME DEGRADED, IT SHOULD BE RESTORED UNDER THE DIRECTION OF A QUALIFIED PROFESSIONAL.

THE SUBSURFACE SYSTEMS SHOULD BE INSPECTED TWICE PER YEAR AND AT LEAST ONCE PER YEAR BY A DRAINAGE SYSTEM PROFESSIONAL TO ENSURE THAT THE SYSTEM IS OPERATING AS INTENDED. THE OWNER SHALL IMPLEMENT AND PAY FOR THE INSPECTOR'S RECOMMENDATIONS.

FOR A FULL DESCRIPTION SEE OPERATION AND MAINTENANCE PLAN FILED WITH THIS APPLICATION

SCITUATE PLANNING BOARD

REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENT

S I T E P L A N
COUNTRY WAY ESTATES
#817 COUNTRY WAY
ASSESSORS PARCEL 12-2-38-F
SCITUATE, MASSACHUSETTS

PREPARED FOR: FEBRUARY 2, 2023
OPTION C PROPERTIES L.L.C. SCALE: 1"=20'
P.O. BOX 263 JOB No. 20-475
WEYMOUTH, MA 02190

GRADY CONSULTING, L.L.C.
Civil Engineers, Land Surveyors & Landscape Architects
71 Evergreen Street, Suite 1, Kingston, MA 02364
Phone (781) 585-2300 Fax (781) 585-2378

EXCAVATION – REMOVE AND REPLACE NOTES AND VOLUME ESTIMATE:

SDS #1

EXCAVATE ALL MATERIAL (A, B LAYER) TO SANDY LOAM C1 LAYER (30"±), BELOW SYSTEM. REPLACE WITH CLEAN COURSE SAND IN ACCORDANCE WITH 310 CMR 15.255 (3). EXCAVATION TO BE INSPECTED BY GRADY CONSULTING L.L.C. AND TOWN PRIOR TO SOIL REPLACEMENT

APPROXIMATE PERC SAND VOLUME = 1583 SF X (33.1 – 33.1±) / 27 + 20% = NO SAND REQUIRED

SDS #2

EXCAVATE ALL MATERIAL (A, B LAYER) TO LOAMY SAND C1 LAYER (30"±), ELOW SYSTEM. REPLACE WITH CLEAN COURSE SAND IN ACCORDANCE WITH 310 CMR 15.255 (3). EXCAVATION TO BE INSPECTED BY GRADY CONSULTING L.L.C. AND TOWN PRIOR TO SOIL REPLACEMENT

APPROXIMATE PERC SAND VOLUME = 1960 SF X (34.7 – 34.6±) / 27 + 20% = 100± CY

SDS #3


EXCAVATE ALL MATERIAL (A, B, C1 LAYER) TO LOAMY SAND C2 LAYER (60"±), ELOW SYSTEM. REPLACE WITH CLEAN COURSE SAND IN ACCORDANCE WITH 310 CMR 15.255 (3). EXCAVATION TO BE INSPECTED BY GRADY CONSULTING L.L.C. AND TOWN PRIOR TO SOIL REPLACEMENT

APPROXIMATE PERC SAND VOLUME = 1209 SF X (18.0 – 15.2±) / 27 + 20% = 150± CY


SDS #4

EXCAVATE ALL MATERIAL (A, B, C1 LAYER) TO LOAMY SAND C2 LAYER (50"±), BELOW SYSTEM. REPLACE WITH CLEAN COURSE SAND IN ACCORDANCE WITH 310 CMR 15.255 (3). EXCAVATION TO BE INSPECTED BY GRADY CONSULTING L.L.C. AND TOWN PRIOR TO SOIL REPLACEMENT


APPROXIMATE PERC SAND VOLUME = 484 SF X (34.5 – 31.0±) / 27 + 20% = 75± CY



SUBSURFACE DRAINAGE AREA #4A



SUBSURFACE DRAINAGE AREA #3A



SUBSURFACE DRAINAGE AREA #1A

FOR REGISTRY USE ONLY


I HEREBY CERTIFY THAT THIS PLAN HAS BEEN PREPARED IN CONFORMANCE WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS OF THE COMMONWEALTH OF MASSACHUSETTS.

TIMOTHY R. BENNETT P.L.S. #36856 DATE


SITE PLAN APPROVED

DATE: _____


SCITUATE PLANNING BOARD




SUBSURFACE DRAINAGE AREA #5




SUBSURFACE DRAINAGE AREA #2




SUBSURFACE DRAINAGE AREA #4B



SUBSURFACE DRAINAGE AREA #3B



SUBSURFACE DRAINAGE AREA #1B



20' LONG INFILTRATION TRENCH
(NOT TO SCALE)

REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS

SITE PLAN
COUNTRY WAY ESTATES
817 COUNTRY WAY
ASSESSORS PARCEL 12-2-38-F
SCITUATE, MASSACHUSETTS

PREPARED FOR:
OPTION C PROPERTIES L.L.C.
P.O. BOX 263
WEYMOUTH, MA 02190

FEBRUARY 2, 2023
SCALE: 1" = 20'
JOB No. 20-475

GRADY CONSULTING, L.L.C.

Civil Engineers, Land Surveyors & Landscape Architects
71 Evergreen Street, Suite 1, Kingston, MA 02364
Phone (781) 585-2300 Fax (781) 585-2378

ALL AREAS WHERE RECHARGE/INFILTRATION SYSTEMS ARE BEING PROPOSED, SHALL BE PROTECTED FROM DEGRADATION BY CONSTRUCTION BY INCORPORATING THE FOLLOWING CONSTRUCTION PRACTICES:

- A. HEAVY EQUIPMENT SHALL NOT PASS, RE-PASS, OR HAUL MATERIALS IN THE EXCAVATED AREAS OF THE STORMWATER RECHARGE CHAMBERS SO AS TO COMPACT AND ALTER THE INFILTRATION CHARACTERISTICS OF THE UNDISTURBED SUBSTRATE OR THE SYSTEM OF DRAINAGE.
- B. NO HEAVY EQUIPMENT SHALL BE PARKED, STORED, OR DRIVEN OVER THE EXCAVATED AREAS PREPARED FOR STORMWATER TREATMENT.
- C. ONLY HEAVY EQUIPMENT USED DIRECTLY IN THE CONSTRUCTION OF THE STORMWATER BASINS SHALL BE ALLOWED IN THE EXCAVATED AREAS OF THE STORMWATER MANAGEMENT SYSTEMS.
- D. NO STORMWATER FROM CONSTRUCTION ACTIVITIES OR DISTURBED AREAS SHALL BE DISCHARGED INTO THE EXISTING STORMWATER COLLECTION SYSTEMS. ANY SUCH DISCHARGE SHALL BE MADE THROUGH APPROVED TEMPORARY CONTROLS PRIOR TO RELEASE OFF SITE OR TO RESOURCE AREAS.

1. SILT SOCK EROSION CONTROL BARRIER SHALL BE PLACED AROUND SITE LOT LINE PERIMETER AS SHOWN. CONSTRUCTION STABILIZED ENTRANCE AND ASSOCIATED STAGING AND PARKING AREAS SHALL BE INSTALLED.
2. SITE SHALL BE CLEARED AND PREPARED WITH LIGHT GRADING AND GROUND COVER STABILIZATION AS NEEDED SUCH AS CRUSHED STONE, WOOD CHIP COVER, GEO TEXTILES, ETC.
3. ALL STOCKPILING SHALL BE TEMPORARY OR SHORT TERM ON THIS SITE HAVING A SILT SOCK AT THE PERIMETER.
4. INSTALL BUILDING UTILITIES, SANITARY LINES, ELECTRIC, WATER LINE AND SERVICE CONNECTIONS.
5. INSTALL BUILDING FOOTING, BIO RETENTION WALLS, AND FOUNDATIONS, HAUL OFF EXCESSIVE STOCKPILES OF EARTHEN MATERIALS.
6. CONSTRUCT FRAME AND SHELL OF BUILDINGS.
7. INSTALL UTILITY SERVICE CONNECTIONS.
8. INSTALL INTERIOR FINISH WORK OF BUILDINGS.
9. HAUL OFF ANY STOCKPILES OF EARTHEN MATERIALS.
10. FINISH GRADE PARKING LOT AREAS.
11. INSTALL ALL STORMWATER CONTROL SYSTEMS AND MAKE ALL CONNECTIONS CONNECT.
12. PERFORM FINE GRADING OF GREEN SPACE AREAS AND PARKING AREAS.
13. INSTALL BASE COURSE PAVEMENT.
14. INSTALL LANDSCAPE PLANTINGS ALONG WITH LOAM & SEED.
15. INSTALL FINISH COURSE PAVEMENT.

1. SEE SHEET 19 FOR EROSION CONTROL DETAILS
2. INSTALL AND SEED FOR SILT CONTROL PURPOSES IF SEEDING IS NOT POSSIBLE DUE TO WEATHER CONDITIONS LINE THE BOTTOM FILTER FABRIC AND WITH 6-12" OF RIP RAP TO CONTROL SILT

CONTRACTOR SHALL LIMIT EXCAVATION OF SOILS DURING NON-GROWING SEASON. FROM NOVEMBER 10TH TO APRIL 15TH. SHOULD IT BE NECESSARY TO EXPOSE SOILS DURING NON-GROWING SEASON THE CONTRACTOR SHALL USE ALTERNATIVE MEANS OF SOILS STABILIZATION SUCH AS JUTE MESH, STUMP GRINDINGS OR OTHER APPROVED METHODS.

IF WEATHER CONDITIONS ALLOW SEED DISTURBED AREAS FOR WINTER
STABILIZATION WITH NEW ENGLAND WETLAND PLANTS, INC. NEW ENGLAND
ROADSIDE MATRIX UPLAND SEED MIX



TO PROTECT THE MUNICIPAL INFRASTRUCTURE AND RESOURCE AREAS LOCATED ON SITE FROM ANY DAMAGE, HARM, AND OR ALTERATIONS RESULTING FROM NEGLIGENT CONSTRUCTION ACTIVITIES OR PRACTICES. SAID NEGLIGENT ACTIVITIES OR PRACTICES INCLUDE BUT ARE NOT LIMITED TO:

- A. THE DISCHARGE OR PUMPING OF OF WATER CONTAMINATED WITH SILT INTO THE WETLANDS.
B. ALLOWING UNTREATED RUNOFF INTO THE WETLANDS.
C. ALLOWING EROSION TO OCCUR IN THE WETLANDS.
D. STOCKPILING FILL OF ANY CONSTRUCTION MATERIAL IN WETLANDS OR NEAR THE WETLANDS WITHOUT ADEQUATE PROTECTIVE MEASURES IN PLACE.

1. TOTAL AREA OF DISTURBANCE FOR PAVING, DRAINAGE, UTILITY AND SITE RELATED ACTIVITIES=2.0 ACRES

2. ACRES. THE MAXIMUM AREA OF DISTURBANCE AT ANY ONE TIME AND THE AMOUNT OF BARE EARTH TO BE EXPOSED AT ANY ONE TIME ≥ 2.0 ACRES WITH LENGTH OF TIME OF EXPOSURE BEING 120 DAYS. STABILIZATION SHOULD OCCUR WITHIN _____ HOURS OF DISTURBANCE AND NO FURTHER WORK IS NECESSARY IN ANY PARTICULAR AREA. OTHERWISE, THE PARTICULAR CONSTRUCTION ACTIVITY SHOULD BE CONDUCTED SO AS TO COMPLY WITH THE TOWN'S CONSTRUCTION REQUIREMENTS AND THEN STABILIZE THE AREA WITHIN 24 HOURS OF COMPLETION OF THAT PARTICULAR CONSTRUCTION ACTIVITY. AFTER ROUGH GRADING IS COMPLETED SAID AREAS SHALL BE PROPERLY STABILIZED WITHIN 24 HOURS OF COMPLETION.

1. THE EASIEST AND MOST EFFECTIVE WAY TO CONTROL EROSION IS THROUGH SOURCE REDUCTION. THIS IS EFFECTIVELY DONE BY CAREFULLY PLANNING EXCAVATION ACTIVITIES DURING FAVORABLE WEATHER CONDITIONS. OPEN EXCAVATION AREAS MAY ALSO POSE A THREAT TO OFF SITE AREAS IF NEGLECTED OR LEFT OPEN FOR LONG PERIODS OF TIME. PROPER STOCKPILING MANAGEMENT WILL PREVENT EROSION PROBLEMS. ALL STOCKPILES SHALL BE STABILIZED ON SITE OR REMOVED OFF SITE PRIOR TO ANY RAINFALL EVENT.

2. STOCKPILES EFFECTIVELY STABILIZED WITH MULCH OR STRAW ARE LEFT IN A NON-STABILIZED CONDITION IS A PROBLEM WAITING TO HAPPEN. DISTURBED AREAS CAN BE STABILIZED BY LOAMING AND SEEDING. IF THIS IS IMPRACTICAL DUE TO SEASONAL TIMING OR BEING IN A HIGH TRAFFIC AREA, THE AREA MAY BE STABILIZED THROUGH THE USE OF APPLYING A 6" LAYER OF CRUSHED STONE TO THE AREA. WOOD CHIPS AND MULCHING HAVE BEEN USED IN SUCH AREAS TO SOME SUCCESS AS WELL. FOR NON TRAFFIC AREAS, STRAW CAN BE PUT OVER THE RETAINED AREA.

3. AREAS THAT CANNOT BE STABILIZED DUE TO THE NATURE OF THE ACTIVITY SHOULD BE CONTAINED. CONTAINMENT MAY BE ACHIEVED BY INSTALLING A TEMPORARY SILT FENCE AROUND THE AREA OR ALONG THE DOWN GRADIENT EDGE OF THE DISTURBED AREA. THE CONTRACTOR SHALL USE GOOD JUDGMENT TO PREVENT EROSION AND DISCHARGES INTO RESOURCE AREAS. RELYING ONLY ON THE BARRIERS TO PREVENT EROSION AT THE LIMIT OF WORK LINE IS INSUFFICIENT AND CAN PUT THE PROJECT AT RISK TO ENFORCEMENT ORDERS.

4. STREET SHALL BE SWEEP AT THE END OF EACH DAY IF SEDIMENT IS EVIDENT.

A. DE-WATERING OF TRENCHES AND OPEN EXCAVATIONS SHALL BE PERFORMED SO AS TO ACHIEVE AT A MINIMUM THE FOLLOWING STANDARDS:

- A. DE-WATERING OF TRENCHES AND OPEN EXCAVATIONS SHALL BE PERFORMED SO AS TO ACHIEVE AT A MINIMUM THE FOLLOWING STANDARDS:
1. NO BUCKETING OR PUMPING OF DE-WATERING ACTIVITIES SHALL HAVE A DIRECT DISCHARGE INTO RESOURCE AREAS ON OR OFF THE SITE.
2. MUD PUMPS SHALL BE PLACED IN A 5 GALLON BUCKET FILLED WITH CRUSHED STONE TO FILTER OUT HEAVY SEDIMENTS
- B. THE CONTRACTOR MAY USE ANY PRETREATMENT DEVICES SHOWN ON THE PLANS OR MAY IMPLEMENT OTHER DEVICES OR PRACTICES WITH THE APPROVAL OF THE TOWN AND THE DESIGNING ENGINEER.
- C. THE INTERFERED TREATMENT METHOD IS TO UTILIZE A TRUCK IN THE BACK OF A TRUCK AND PUMP INTO IT WHILE THE TRUCK IS PARKED IN A STABILIZED AREA. CLEAN WATER LEACHES OUT OF THE BAG AND RUNS OFF OVER AN UNDISTURBED AREA. WHEN THE BAG IS FULL, THE TRUCK DRIVES OFF AND EMPTIES THE BAG IN A PROPER LOCATION. THIS METHOD OFFERS THE CONTRACTOR A LOT OF FLEXIBILITY, MAKES EXCAVATION GO FASTER, AND IS A VERY SAFE METHOD OF DE-WATERING.

1. LONG TERM STOCKPILES OF LOAM AND FILL MATERIALS SHALL BE CONTAINED OR STABILIZED THROUGH LOAMING AND SEEDING IF THE PILE IS TO SIT FOR A PERIOD OF TIME EXCEEDING 30 DAYS.

1. LONG TERM STOCKPILES OF LOAM AND FILL MATERIALS SHALL BE CONTAINED OR STABILIZED THROUGH LOAMING AND SEEDING IF THE PILE IS TO SIT FOR A PERIOD OF TIME EXCEEDING 30 DAYS.
2. COVERING PILES DURING DOWN POURS WITH TARPS CAN BE AN EFFECTIVE METHOD OF TEMPORARY EROSION CONTROL.
3. STOCKPILES SHALL BE LOCATED AT LEAST 100' AWAY FROM WETLANDS AND SURROUNDED BY A SILTATION BARRIER.
4. STOCKPILES SHALL BE STABILIZED WITH TEMPORARY VEGETATION, MULCH, OR COVERING WITH TARPS.
5. DESIGNATED STOCKPILE LOCATIONS SHALL BE IN SECURE AREAS OF THE SITE.

1. SEDIMENT SHALL BE REMOVED AND TRAP RESTORED TO ITS ORIGINAL DIMENSIONS WHEN SEDIMENT HAS ACCUMULATED TO 1/2 OF THE DESIGN DEPTH IN THE TRAP. SEDIMENT SHALL BE REMOVED AND DEPOSITED IN A SUITABLE AREA AND IN SUCH A MANNER THAT IT WILL NOT ERODE.
2. THE TRAP SHALL BE INSPECTED AFTER EACH RAIN STORM AND CLEANED OR REPAIRED IF NECESSARY.
3. THE TOP 2/3 OF THE RISER SHALL BE PERFORATED WITH 1" DIAMETER HOLES 6" HORIZ. AND VERTICALLY. NO HOLES SHALL BE ALLOWED WITHIN 6" OF THE HORIZONTAL PIPE.
4. THE RISER SHALL BE WRAPPED WITH FILTER FABRIC. THE FILTER FABRIC SHALL BE 6" ABOVE THE HIGHEST HOLE AND 6" BELOW THE LOWEST. CONNECTING BANDS SHALL BE USED TO HOLD THE FILTER FABRIC IN PLACE AT THE TOP AND BOTTOM OF THE PIPE.
5. THE RISER SHALL BE ANCHORED WITH EITHER A CONCRETE BASE OR STEEL PLATE TO PREVENT FLOATATION.
6. EARTH DAM FILL MATERIAL SHALL BE FREE OF ROCKS, ROOTS, OR OTHER ORGANIC MATERIAL.

REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS


COUNTRY WAY ESTATES
#817 COUNTRY WAY
ASSESSORS PARCEL 12-2-38-F
SCITUATE, MASSACHUSETTS

PREPARED FOR:
OPTION C PROPERTIES L.L.C.
P.O. BOX 263
WEYMOUTH, MA 02190

FEBRUARY 2, 2023
SCALE: 1"=20'
JOB No. 20-475

GRADY CONSULTING, L.L.C.

Civil Engineers, Land Surveyors & Landscape Architects
71 Evergreen Street, Suite 1, Kingston, MA 02364
Phone (781) 585-2300 Fax (781) 585-2378



FOR REGISTRY USE ONLY

I HEREBY CERTIFY THAT THIS PLAN HAS BEEN PREPARED IN CONFORMANCE WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS OF THE COMMONWEALTH OF MASSACHUSETTS.

TIMOTHY R. BENNETT P.L.S. #36856 DATE

SITE PLAN APPROVED

DATE:

SCITUATE PLANNING BOARD

REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS


SITE PLAN
COUNTRY WAY ESTATES
817 COUNTRY WAY
ASSESSORS PARCEL 12-2-38-F
SCITUATE, MASSACHUSETTS

PREPARED FOR:
OPTION C PROPERTIES L.L.C.
P.O. BOX 263
WEYMOUTH, MA 02190



FEBRUARY 2, 2023
SCALE: 1"= 20'
JOB No. 20-475

GRADY CONSULTING, L.L.C.
Civil Engineers, Land Surveyors & Landscape Architects
71 Evergreen Street, Suite 1, Kingston, MA 02364
Phone (781) 585-2300 Fax (781) 585-2378

PRE-DEVELOPMENT CATCHMENTS



Scale 1" = 20'



FOR REGISTRY USE ONLY

I HEREBY CERTIFY THAT THIS PLAN HAS BEEN PREPARED IN CONFORMANCE WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS OF THE COMMONWEALTH OF MASSACHUSETTS.

TIMOTHY R. BENNETT P.L.S. #36856 DATE

SITE PLAN APPROVED
DATE:

SCITUATE PLANNING BOARD


REVISIONS	
JUNE 19, 2023	RESPOND TO TEC PEER REVIEW COMMENTS
OCTOBER 10, 2023	REDUCE DENSITY RESPOND TO TEC REVIEW #2
OCTOBER 19, 2023	RESPOND TO CONSERVATION AND BOARD OF HEALTH COMMENTS

SITE PLAN
COUNTRY WAY ESTATES
#817 COUNTRY WAY
ASSESSORS PARCEL 12-2-38-F
SCITUATE, MASSACHUSETTS

PREPARED FOR: FEBRUARY 2, 2023
OPTION C PROPERTIES L.L.C. SCALE: 1"=20'
P.O. BOX 263 JOB No. 20-475
WEYMOUTH, MA 02190

GRADY CONSULTING, L.L.C.

Civil Engineers, Land Surveyors & Landscape Architects
71 Evergreen Street, Suite 1, Kingston, MA 02364
Phone (781) 585-2300 Fax (781) 585-2378



Scale 1" = 20'

POST DEVELOPMENT